



**OPTIPARTS**  
MARINE EQUIPMENT

ILCA **W**  
**WINDSIGN**



**OPTIPARTS**  
MARINE EQUIPMENT

Optiparts Marine Equipment was founded in 1990 and has grown to a worldwide leading supplier of Optimist spars, fittings and accessories. Our motivated production team and developers are constantly busy with producing and improving our products to the highest standards and needs.

The extensive range of products is exported to more than 80 countries around the world and is used at all major Optimist events worldwide.

The name Optiparts® is a registered trademark.

Tel: +31 30 2414068  
Email: mail@optiparts.com

**WWW.OPTIPARTS.COM**

**W**

**WINDESIGN®**

*Windesign is an expanding brand which has a proven hardware range for Laser®, ILCA® and 420, a large collection of tiller extensions, dinghy trolleys, bags and clothing collection; The MIRA series.*

*The extensive range of products is exported to more than 80 countries around the world. The name Windesign® is a registered trademark.*

**WINDESIGN  
SAILING.COM**

*Windesign was founded in 2000 as brand for hardware, clothing and accessories for all dinghy sailors. In 2016 we started thinking about a full clothing collection called the "MIRA Series". In 2017 we were able to supply the first "MIRA Series" items and due to success, we have been able to develop and expand to a full clothing collection for junior and adult.*

*Our MIRA Series are designed with the highest quality fabrics to provide high end waterproofness, durability and flexibility. Comfortable dinghy sailing gear for all dinghy sailors.*

Laser® is a registered trademark of Velum limited.  
ILCA® is a registered trademark owned by Laser Class Association Inc.

Optiparts Marine Equipment b.v. is fully independent of Velum Limited and Laser Class Association Inc.



# #Optiparts #WindesignSailing

Join us to connect and communicate through our social media. Keep track of the latest news and share your action, fun and experience with us! Send your photos & videos and help us to innovate our products and promote our brands.



New 2025 products are displayed with:



Updated / Improved products are displayed with:



Watch the latest videos on:  
<http://www.youtube.com/WindesignSailing>

Download the instruction manuals on:  
<http://www.optiparts.com/downloads>

Photo credits:

Matias Capizzano, [www.capizzano.com](http://www.capizzano.com)  
Laurens Morel, [www.saltycolors.com](http://www.saltycolors.com)

- 04 BLACKGOLD RACING SPARS
- 06 SLEEVE / SCHOOL / SILVER SPARS AND SAILS
- 08 FOILS & RUDDER FITTINGS
- 09 TILLERS & EXTENSIONS
- 10 BUOYANCY BAGS & HIKING STRAPS
- 11 PRADDEL, BAILERS & ACCESSORIES
- 12 MASTSTEP, MASTLOCK, DECK COLLARS, BASEPLATES, SHACKLES & SPRINGS
- 13 SPAR ACCESSORIES, SPRIT ENDS & MAST PLUGS
- 14 WIND INDICATORS, BOOM ACCESSORIES & CLEATS
- 15 SAIL ACCESSORIES & HULL PROTECTORS
- 16 MAINSHEET BLOCKS
- 17 BLOCKS, HALYARDS, SHEETS & MAINSHEET SYSTEMS
- 18 TROLLEY / DOLLY
- 19 COVERS
- 20 STORAGE BAGS
- 21 BOOKS, VIDEO, GIFT ITEMS & ROWING ACCESSORIES
- 22 MINIREELS, MAINSHEETS, CONTROL LINES & REELS
- 24 TILLERS FOR LASER® OR ILCA® & TILLER EXTENSIONS
- 26 PARTS & ACCESSORIES FOR LASER® / ILCA®
- 32 WINDESIGN DINGHY TROLLEYS
- 33 PROTECTION, HIKING BENCH & WIND INDICATORS
- 34 LOW FRICTION RINGS & ACCESSORIES
- 35 PARTS AND ACCESSORIES FOR 420
- 36 COACH GEAR & RIVET COLLECTION
- 38 2025 MIRA CLOTHING COLLECTION
- 50 BAGS, BACKPACK & LUGGAGE

## BLACKGOLD RACING SPARS

EX900	BLACKGOLD Power mast. Including rigging pack
EX900-NP	BLACKGOLD Power mast. No rigging pack
EX901	BLACKGOLD Medium mast. Including rigging pack
EX901-NP	BLACKGOLD Medium mast. No rigging pack
EX902	BLACKGOLD Lite mast. Including rigging pack
EX902-NP	BLACKGOLD Lite mast. No rigging pack

The Blackgold collection contains three types of spars. The BLACKGOLD Power mast is suitable for sailors above 45 kg, the 12% more flexible BLACKGOLD Medium mast and the most flexible BLACKGOLD Lite mast which is 20% more flexible compared to the BLACKGOLD Power. All three are 45 microns black hard anodized 7075 masts and come with high grade nylon fittings and hard anodized cleats.

## SPRITS

EX959	BLACKGOLD Lite 26,6 mm sprit
EX960	BLACKGOLD Medium 27 mm sprit

We offer a choice of two black anodized 7075 sprits. All with black end fittings and sprit chafe guard. The 26,6 mm BLACKGOLD Lite sprit is 20% more flexible and a lot lighter than the 27 mm BLACKGOLD Medium sprit.

## BOOMS

Three types of booms are available. All BLACKGOLD booms are made of high grade, black anodized tube, fitted with captive eye straps, nylon in- and outboard end fittings, nylon outhaul cleat, 4 mm Dyneema outhaul, 3 mm Dyneema bridle and vang and a fitted outhaul trim gauge.

EX940	BLACKGOLD Medium 40 mm boom complete
EX945	BLACKGOLD Power 45 mm boom complete
EX955	BLACKMAX 55 mm boom complete

This ultra stiff and yet lightweight 55 mm boom can be used without a bridle. This enables the larger sailor to land further forward when tacking.

## RIGGING PACK

EX13591	Rigging pack for BLACKGOLD mast
---------	---------------------------------

This set contains a halyard system with Dyneema® halyard line, Harken hook-in block, Windesign low friction ring, PRO wind indicator, top pins, sprit halyard handle and mast sleeve.



EX13591





LOW FRICTION WIND INDICATOR

ALUMINIUM GOLD ANODIZED TOP PINS

HIGH GRADE 7075 ALUMINIUM

45 MICRONS BLACK HARD ANODIZED

NATURAL CORKS INSIDE FOR FLOTATION

MEASUREMENT BAND STICKER

HARKEN BALL BEARING HOOK-IN BLOCK

ALUMINIUM PIN STOP

WINDESIGN LOW FRICTION RING  
ON DYNEEMA® LINE

SPRIT ADJUSTER HANDLE

HARD ANODIZED VANG CLEAT

HARD ANODIZED HALYARD CLEAT

LOW FRICTION DELRIN HEEL PLUG

## SETS

EX970	BLACKGOLD LITE set < 35 kg	(902 / 940 / 959)
EX975	BLACKGOLD MEDIUM set 30-40 kg	(901 / 940 / 960)
EX978	BLACKGOLD POWER set 35-45 kg	(900 / 945 / 960)
EX980	BLACKMAX set > 45 kg	(900 / 955 / 960)

A combination of the BLACKGOLD spars, booms and sprits creates our four available spar sets, which are suitable for all types of sailors. All sets are supplied including rigging pack.



## SLEEVE SPARS

EX1012	Sleeve mast*
EX1020	School boom 40 mm*
EX1040	School sprit 25 mm*
EX1052	Sleeve set (EX1012 / EX1020 / EX1040)*

The sleeve mast has no eyes for fixing the head of the sail and can be used with sleeve sail EX1061. The mast slides in the sleeve pocket of the sail and the sail has a loose foot. This eliminates the need of any sail ties.

A mast extender can be used to create more headspace.

EX1053	Fixed sleeve set (mast, boom and EX1040 sprit)*
--------	---

It has never been so easy to store your spars after use. This sleeve mast set is supplied with a fixed gooseneck. The boom can be used without a bridle to create more headspace. The set comes with mast, boom and EX1040 sprit. Perfect in combination with the EX1061 colored sleeve pocket sail.

\* Not allowed for racing

## SCHOOL SPARS

The school spars are made of high quality aluminium tube, fitted with a stainless steel halyard block, halyard cleat and downhaul cleat, a nylon pin stop and two stainless steel eyes for fixing the head of the sail. The sprit has no chafe protection tube. \* Not allowed for racing

EX1010	School mast*
EX1030	School boom 32 mm*
EX1040	School sprit 25 mm*
EX1050	School set (EX1010 / EX1030 / EX1040)*

## UPGRADED SCHOOL SPARS

The upgraded school spars are made of high quality aluminium tube and fitted with a stainless steel halyard block, aluminium Clamcleats, a nylon pin stop and two stainless steel eyes for fixing the head of the sail. The upgraded sprit has 15 cm anti chafe protection tubing. \* Not allowed for racing

EX1011	Upgraded school mast*
EX1030	School boom 32 mm*
EX1042	Upgraded school sprit 25 mm*
EX1051	Upgraded school set (EX1011 / EX1030 / EX1042)*
EX1056	Rigging pack with halyard, control lines and bridle with ring

## SILVER REGATTA SPARS

The silver regatta spars are less stiff than Blackgold and ideal for lightweight sailors who just started racing. The silver mast, boom and sprit are made of high quality aluminium tube, fitted with aluminium halyard and downhaul Clamcleats. The lightweight 40 mm silver boom is much stiffer than the 32 mm school boom and will allow the sailor to put more tension on the leech. The silver sprit has 15 cm anti chafe protection tubing. Both mast and set come with rigging pack, containing all necessary lines, wind indicator, top pins and halyard with hook-in block.


EX1005	Silver regatta mast. Including rigging pack
EX1022	Silver regatta boom 40 mm
EX1041	Silver regatta sprit 27 mm
EX1048	Silver regatta set (EX1005 / EX1022 / EX1041)
EX13593	Rigging pack with halyard, wind indicator and top pins



EX1056



EX13593



## SAILS

EX1057A Windesign Durarace LITE sail < 45 kg, 99 lbs  
Our Durarace sail is perfect for practice and learning to race. Built for durability and speed! Made of 4.18 oz Challenge sailcloth. A bit heavier but much more durable than sailcloth used in most racing sails.

EX1059	Club sail
EX1060	School sail

These sails are made of strong 3.8 oz high quality 100% dacron sailcloth, have six panels with nickel plated eyes and heavily reinforced corners. Complete with battens and long sail bag for storage of sail and spars. The EX1059 club sail comes with window, class logo and I.O.D.A. button, according to the I.O.D.A. class rules.

The EX1060 comes without window, logo and button.

EX1061	Sleeve pocket sail colored
EX1061W	Sleeve pocket sail white
EX1061WR	Sleeve pocket sail white with reef eye

These sleeve pocket sails are ideal for sailing schools. The mast slides in a sleeve pocket while the sail is loose footed on the boom. Made of strong 3.8 oz sailcloth. They have five panels without sailbattens, 4 heavily reinforced corners and webbing loops for the boom. The EX1061 and EX1061W should be used with sleeve school set EX1052. The EX1061WR should be used with the fixed sleeve school set EX1053. When using the reef eye, the boom goes up and gives more headspace for the sailor.

## TRISAILS

EX1061M	Trisail only
EX1064	Trisail set

This sail is half the size of a normal Optimist sail. Very easy to handle. Now even the smallest helmsman can continue sailing in heavy wind. Supplied as set with sleeve mast, 40 cm mast extender (EX10122) and mini boom with boom bumper head protector. The Trisail has to be used with a regular sleeve mast and boom with the addition of a 40 cm mast extender.

## ACCESSORIES

EX10121	10 cm mast extender for EX1012 sleeve mast*
EX10121S	20 cm mast extender for EX1012 sleeve mast*
EX10122	40 cm mast extender for EX1012 sleeve mast with 1061M sail*

Optimist mast extenders can be used with the Optimist sleeve mast. The Optimist mast extenders are available as separate items for the Sleeve School mast. These mast extenders can be dropped in the top of the Optimist mast and moves the sail up to create more space in the cockpit.

EX1446	Boom bumper head protector
--------	----------------------------

\* Not allowed for racing



EX1057A



EX1059




EX1060




EX1061



EX1061M



EX1061W




EX1061WR



EX1064

## OPTIPARTS

EX1446



EX10121

EX10121S

EX10122

## WOODEN SCHOOL FOILS

EX11003	Wooden school rudderblade without fittings*
EX11053	Wooden school rudderblade with fittings**
EX11103	Wooden school daggerboard
EX11143	Wooden school foil set without fittings*
EX11153	Wooden school foil set with fittings**

These wooden foils are made of high grade marine plywood. The rudderblade has a thickness of 13 mm and daggerboard 15 mm.

These are the most affordable foils available, for school and recreation only.

## GRP SCHOOL FOILS

EX11000	GRP school rudderblade without fittings*
EX11050	GRP school rudderblade with fittings**
EX11100	GRP school daggerboard
EX11140	GRP school foil set without fittings*
EX11150	GRP school foil set with fittings**

These GRP school foils are for training and school use only.

## ONE DESIGN RACING FOILS

EX11005	One design rudderblade without fittings*
EX11055	One design rudderblade with fittings**
EX11105	One design daggerboard
EX11145	One design foil set without fittings*
EX11155	One design foil set with fittings**

These fiberglass / foam Optimist foils are designed to be the most durable racing foils. The daggerboards are fitted with durable teak wood battens.

\*All rudderblades can be used with Optiparts tillers, extensions and rudder fittings.

\*\* Tillers (with extension) have to be ordered separately.

## RUDDER FITTINGS

EX1150	Rudder fitting set (EX1160S / EX1160L / EX1170 / EX1180)
EX1155	Bolts and self-locking nuts. Set of 12
EX1160	Rudder pintle set (EX1160S / EX1160L)
EX1160S	Rudder pintle short
EX1160L	Rudder pintle long
EX1170	Set transom gudgeons with backing plates
EX1170P	Set transom fittings with 8mm pin
EX1180	Rudder retaining clip

These stainless steel rudder fittings are available as a set or separate.

## DAGGERBOARD BUNGY

EX1113	Daggerboard bungy with handle
--------	-------------------------------

A 6 mm shockcord with a red PVC handle to retain the daggerboard in its case. The handle keeps your daggerboard in place and your hiking straps up too. Comes in a complete set to keep the shockcord in place.



EX11003



EX11000



EX11143



EX11053



EX11050



EX11153



EX1160S



EX1170



EX1160L



EX1155



EX1180



EX1170P



EX1113



## TILLERS

EX1120 Aluminium tiller. Silver anodized

EX1122 Aluminium tiller. Black anodized

Suitable for all sizes of Optimist rudderblades. Each tiller is supplied with bolts and nuts to mount it to a rudderblade.

### TILLER EXTENSIONS

EX1139 16 mm Deluxe tiller extension, super smooth

Black anodized aluminium tiller extension with a releasable rubber joint with rope core and a black end knob which makes it super smooth.

Designed to the maximum allowed length when used with our regular tillers (EX1120 and EX1122).

EX1140 16 mm Deluxe tiller extension with black foam grip

EX1141 16 mm Deluxe tiller extension with colored foam grip

Black anodized 60 cm aluminium tiller extensions with a releasable rubber joint with rope core and foam grip.

EX1142 16 mm Standard tiller extension with golf grip

Silver anodized 60 cm aluminium tiller extension with a fixed rubber joint and golf grip.

EX1145BKRD Tiller extension 20 mm X-gripped, "Doppio"

EX1145BK Tiller extension 20 mm X-gripped, black

EX1145BL Tiller extension 20 mm X-gripped, blue

EX1145GR Tiller extension 20 mm X-gripped, green

EX1145RD Tiller extension 20 mm X-gripped, red

EX1145Y Tiller extension 20 mm X-gripped, yellow

Give your Optimist some color with the colored X-gripped tiller extensions. A range of 20 mm aluminium tiller extensions, fitted with X-gripped heat shrinkable tubing and a releasable rubber joint with rope core. Available in six different colors. One special color called "Doppio". It is a black grip with a raised red X-pattern to create extra grip; double grip!

### SETS

EX1125 Deluxe tiller and extension

Black anodized aluminium tiller (EX1122) with 60 cm Deluxe aluminium tiller extension (EX1140). Fitted with a releasable rubber joint with rope core and foam grip.

EX1127 51 cm Deluxe tiller with 70 cm extension 20 mm X-gripped

Black anodized aluminium tiller with 70 cm X-gripped extension. Offers a longer reach for taller sailors. Together with the shorter tiller it's designed to the maximum allowed length. Fitted with releasable rubber joint with rope core.

EX1130 Standard tiller and extension

Silver anodized aluminium tiller (EX1120) with 60 cm standard aluminium tiller extension (EX1142). Fitted with a fixed rubber joint and golf grip.



### DOPPIO

RAISED RED X-PATTERN TO CREATE EXTRA GRIP



## X-GRIPPED COLOR SERIES

## HEAVY DUTY BUOYANCY BAGS

EX1212	Buoyancy bag 48 L, normal valve, color yellow
EX1213	Buoyancy bag 48 L, normal valve, color white
EX1215	Buoyancy bag 43 L, normal valve, color grey
EX1215L	Buoyancy bag 43 L, normal valve, color grey with logo
EX1216	Buoyancy bag 43 L, twist lock tube valve, color red
EX1217	Buoyancy bag 48 L, twist lock tube valve, color blue
EX1218	Buoyancy bag 48 L, twist lock tube valve, color yellow
EX1219	Buoyancy bag 48 L, twist lock tube valve, color red
EX1222	Buoyancy bag 48 L, twist lock tube valve, color orange
EX1223	Buoyancy bag 48 L, double coloured grey and blue
EX1224	Buoyancy bag 48 L, twist lock tube valve, color pink

Optiparts heavy duty buoyancy bags, according to IOD'95 rules. These bags are made of polyurethane coated nylon and are about half the weight and significantly stronger than bags made of PVC or PVC coated nylon. Some bags are available with a twist lock tube valve. This valve is attached to a piece of tubing. With this valve the bag can easily and quickly be inflated and deflated. 48 liter bags are slightly heavier than 43 liter bags but after a capsized there is less water in the boat.

43 liter sizes: 27 x 88 cm inflated, 41 x 100 cm deflated

48 liter sizes: 29 x 92 cm inflated, 44 x 98 cm deflated

## PVC BUOYANCY BAG

EX1220	Buoyancy bag 43 L, normal valve, color white
--------	--

Made of high quality flexible PVC cloth. Suitable for all non IOD'95 Optimists and other classes. Can be used inside GRP tanks or with straps.  
Size inflated 24 cm x 92 cm.

## HIKING STRAPS, WEBBING AND MOUNTING PLATES

EX1450	Padded hiking straps
EX1450P	Pro padded hiking straps

Get a better grip and feel with your boat, with our extra stiff pro padded hiking straps. Same style as our EX1450 strap but with non slip layer underneath and hard foam inside. Both padded straps are made of strong polyester webbing, covered with wear resistant cloth, filled with foam plate material which does not absorb water. Strong stitched through construction. Aft end a pressed ring and sewn flat to prevent twisting

- loops for shockcord to pull up the front for easy access
- front ends are open for mounting with plate or rope

EX1451	Non padded hiking straps
--------	--------------------------

Made of strong polyester webbing which has a good UV protection.

EX1453-10	Stainless steel mounting plate. Set of 10
EX14531-10	Nylon mounting plate, black. Set of 10
EX14532-10	Nylon mounting plate, red. Set of 10
EX14533-10	Nylon mounting plate, blue. Set of 10

Stainless steel and nylon plates with two holes for mounting hiking straps and buoyancy bags. Thickness: stainless steel 2 mm, nylon 4.5 mm.

EX1462	Webbing roll, blue, 50 meter
EX1464	Webbing roll, black, 50 meter
EX1466	Webbing roll, white, 50 meter
EX1468	Webbing roll, grey, 50 meter

Polyester buoyancy bag webbing which has a good UV protection. 1.5 mm thick, 50 mm wide.



## PRADDEL PADDLE / WHISTLE / SPONGE

EX1440	Praddel paddle, color orange
EX1440G	Praddel paddle, color grey
Single handed paddle. Can be used with one arm only while steering with the other arm. Weighs only 215 grams.	
EX1441	Pea-less plastic whistle with lanyard and clip
EX1443	Plastic hook for securing praddel, bailer or daggerboard
EX1445	Sponge stick

This sponge stick grows from a compressed stick to a full sized sponge. High quality, biodegradable and environmentally friendly cellulose sponge.

EX1235	Rubber transom plug for max 45 mm transom drains
--------	--

## BAILERS

EX1442R	Handbailer 3.5 liter, color red
EX1442G	Handbailer 3.5 liter, color green
EX1442GY	Handbailer 3.5 liter, color grey

The traditional blow molded handbailer which fits perfectly to the corners of the IOD'95 hull. Contents: 3.5 liter. Red and green for port and starboard. Length 21 cm, width 12 cm

EX1444	Handbailer small 1 liter, color orange
--------	--

Small handbailer, for sailing schools and other dinghies. Length 18 cm, width 11 cm

EX1448	Handbailer 4.2 liter, color orange
--------	------------------------------------

EX1449	Handbailer 4.2 liter, color grey
--------	----------------------------------

Large, lightweight and durable handbailers. The wide ergonomic base creates more bailing capacity with each stroke, the curved bottom to follow the bailing motion and a triangular top so you don't get stuck behind the gunwale. High handle with end stop to prevent slipping out of your hand, with integrated shockcord fastening. Reinforced wear areas, rounded front lip and stackable for transportation.

Length 24 cm, width 17 cm

## WATERPROOF STORAGE

EX3048	Lunch container 3 L
EX3049	Lunch container 6 L

Waterproof lunch container, stores your lunch and valuables dry. Keep the container in your own boat or in the coach boat. With a hole in the lid to attach a line. 2 sizes: 3 liter, 17 cm high and 6 liter 26 cm high.

EX1237	Hatch cover 100 mm. Cut out diameter: 108 mm
--------	--

EX1239	Hatch cover bag 100 mm
--------	------------------------

Blue 100 mm Windesign hatch cover bag with top gusset and string to provide waterproof storage for food, drink, tools and valuables.

## OPTI HIKING BENCH

EX1500	Opti Hiking bench
EX1550	Replacement strap for Hiking bench

Fully detachable hiking bench with adjustable hiking strap. This is the ultimate solution for hiking fitness while you are watching TV, reading a book or playing a video game. This lightweight, super strong hiking bench is made of the same materials as our Optiparts trolley and is just as easy to assemble. Perfect for that extra training session. Only 3.7kg (8 lbs).



EX1500

EX1550



EX1440



EX1440G



EX1441



EX1444



EX1445



EX1443



EX1235



EX1442R



EX1442GY



EX1442G



EX1448



EX1449



EX3048



EX3049



EX1237



EX1239



## MASTSTEP

EX1202	Adjustable maststep with round cup
EX1204	Round cup only
EX1206	Base plate only
EX1207	8mm nut, comes with EX12071 spring lock keeper
EX12071	Spring lock keeper
EX12072	PTFE mast disk, 1mm thick

The Optiparts maststep has an oval cup, which allows the mast to tilt forward when going downwind. Friction between mast and maststep is reduced to a minimum. Different mast rakes can easily be repeated using the scale on the base. Separately a mast step spring lock can be purchased. The stainless steel spring prevents the nut from turning accidentally.

## MAST LOCK

EX1203	Mast lock
--------	-----------

Stainless steel lock to secure your mast from coming out of its step when the boat is capsized. Prevents costly foredeck damage. This lock has a rubber insert and should be clamped around the mast just under the deck. We suggest to use the collar in addition to the rope locking system to create double security. Supplied with a line to attach it to the maststep.

## DECK COLLARS

EX1208	Standard nylon deck collar, black
EX1209	Low friction Delrin deck collar, white
EX1210	Deck collar with mast sleeve, grey
EX12101	Deck collar only, grey
EX1211	Mast sleeve only, grey (as with Blackgold masts)

Optiparts offers three types of deck collars. A standard nylon mast collar to be fitted in a 53 mm deck-hole, and two racing deck collars with oval inner diameter which allow maximum fore/aft play and minimum side play. The tapered inner diameter allows the mast to be raked. Four countersunk mounting holes to be fitted in a 57 mm deck-hole. EX1210 has a separate sleeve which is fitted around the mast at deck level and protects the mast from wearing.

## BASEPLATES, SHACKLES AND SPRINGS


EX1301	4 mm flat shackle
EX1302	5 mm flat shackle
EX1304	Stainless steel spring to mount under ratchet blocks
EX1305	Flexible 40mm PVC stand-up to mount under ratchet blocks
EX1311	4 mm D-shackle
EX1312	5 mm D-shackle
EX1410	Swivel base plate with 5 mm holes
EX1412	Fixed base plate with 5 mm holes

For mainsheet and hiking straps

EX1414	Small eye with 4 mm holes
EX1415	Large eye with 5 mm holes

1 mm thick, 10 x 9 mm opening, hole distance 24 mm

2 mm thick, 15 x 13 mm opening, hole distance 36 mm



## SPAR ACCESSORIES

EX1333B	Measurement band sticker blue
EX1333G	Measurement band sticker gold
EX13371	Pin stop as used for downhaul on school booms*
EX13372	Pin stop as used on silver and school masts*
EX13373	Pin stop as used on silver and school booms*
EX1337	Pin stop as used on Blackgold masts*
EX1339	Lacing eye "bridge" as used on Blackgold booms*
EX1336	Vectran sailties for mast and boom
EX1336Y	Vectran sailties for mast and boom, fluor yellow

Set of five 2.2 mm tack lines and fourteen 1.2 mm lacing lines.

EX1354	Nylon sprit adjuster handle with hole for 4 mm lines
EX1355	Sprit protection

15 cm heat shrinkable tubing for protection between sprit and mast.  
Can be applied with a hair dryer or paint stripper.

EX1358R-20	16 cm trim strip red. Set of 20
EX1358G-20	16 cm trim strip gold. Set of 20
EX1364	Vang for all racing booms


Spliced Dyneema® vang line with a loop on one end for easy attachment.  
Tie or splice the open end around the boom.

\* Supplied with pop rivet

## SPRIT ENDS AND MAST PLUGS

EX1275	Inboard end for 32 mm standard boom (EX1030)
EX1276	Outboard end for 32 mm standard boom (EX1030)
EX1277	Inboard end for 40 mm school boom (EX1020)
EX1278	Outboard end for 40 mm school boom (EX1020)
EX1280	Inboard end for 40 mm racing boom (EX940)
EX1282	Outboard end for 40 mm racing boom (EX940)
EX1284	Inboard end for 45 mm racing boom (EX945)
EX1285	Outboard end for 45 mm racing boom (EX945)
EX1281	Inboard end for 55 mm racing boom (EX955)
EX1283	Outboard end for 55 mm racing boom (EX955)
EX1255	Heel plug, low friction Delrin, for racing masts
EX1256	High heel plug, low friction Delrin, for racing masts
EX1257	Heel plug, heavy duty, for silver and school masts
EX1260	Top cap for school masts
EX1270	Sprit ends for 25 mm standard sprits. Set of 2
EX1271	Sprit ends for 27 mm Blackgold and silver sprits. Set of 2
EX1272	Sprit ends for 29 mm sprits. Set of 2
EX1290	Mast flotation plugs, made of natural cork. Set of 3

All boom end fittings are made of high quality glass fibre filled nylon and have a firm grip around the mast. This ensures that mast and boom turn together. When refitting an old mast with a high heel plug first make sure the total mast length will not exceed 2350 mm. The sizes above are outside tube diameters.



EX13371 EX13372 EX13373 EX1339 EX1337



EX1354

EX1355



EX1358R-20



EX1358G-20



EX1364



EX1336



EX1336Y



EX1275



EX1276



EX1277



EX1278



EX1280



EX1281



EX1282



EX1283



EX1284



EX1255



EX1256



EX1257



EX1260



EX1290



EX1290



EX1270



EX1271



EX1272

## WIND INDICATORS

We supply a standard wind indicator with red PVC flag on a wire frame, as used on many Optimists and other dinghies. More popular is our low friction wind indicator. It has a strong vane arm which is accurately balanced and performs amazingly sensitive. The vane arm is attached to the needle with a positive locking system which prevents losing the vane arm.

EX1240	Standard wind indicator
EX1240-10	Standard wind indicator. Set of 10
Not allowed for Optimist class racing: C.R. 3.5.2.6	
EX1243	Wind indicator Windesign PRO, red
EX1243-10	Wind indicator Windesign PRO, red. Set of 10
EX1243BL	Wind indicator Windesign PRO, blue
EX1243BL-10	Wind indicator Windesign PRO, blue. Set of 10
With blunt point, allowed for Optimist class racing.	
EX1243V-10	Vane only, red. Set of 10
EX1243VBL-10	Vane only, blue. Set of 10
EX1245	Wind indicator clip for school masts
EX1335	Set of small nylon top pins
Simplified top pins, where sailties are knotted outside of the mast for easy adjustment.	

EX1338	Set of nylon top pins, as supplied with racing masts
EX1338A	Set of aluminium top pins, long lasting, gold anodized

## BOOM ACCESSORIES

EX1360	3 mm Dyneema® boom bridle with stainless steel ring
EX1362	15 mm stainless steel ring
EX1362-10	15 mm stainless steel ring. Set of 10
EX1371	Stainless steel safety snap shackle. 43 mm, 16 gr. Not available in France.
EX1371L	Stainless steel snap shackle (EX1371) with line loop Not available in France.
EX1372	Stainless steel trigger safety snap shackle. 49 mm, 20 gr
EX1373	Protest flag

Little pouch with a cord at the top to tie it to the boom and a velcro closure at the bottom. Pull the bottom cord and the protest flag comes out.

## CLEATS

EX1380	Hard anodized aluminium Clamcleat (CL211MK2AN) for downhaul on Blackgold masts
EX1381	Silver anodized aluminium Clamcleat (CL211MK2) for downhaul and halyard on silver masts
EX1399	Hard anodized aluminium Clamcleat (CL211MK2AN/S2) with becket for halyard on Blackgold masts
EX1402	Stainless steel V-cleat for school booms
EX1405B	Blue nylon V-cleat for silver and school booms
EX1405G	Grey nylon V-cleat for Blackgold booms



EX1371



EX1371L



EX1372



EX1380



EX1381



EX1399



EX1402



EX1405B



EX1405G




EX1360



EX1362



EX1373



EX1243V-10

EX1243VBL-10



EX1245



EX1335



EX1380A



EX1388



## SAIL ACCESSORIES

EX1416	Untapered sail batten, with plastic end caps, 40.5 cm	
EX1417S	Tapered sail batten, 45.5 cm, for top batten, with hole	
EX1417L	Tapered sail batten, 54.5 cm, for bottom batten, with hole	
EX1418	Optimist class logo, blue. Set of two	
EX1419RD	Digital sail number, red, 23.5 cm*	=order per piece=
EX1419BK	Digital sail number, black, 23.5 cm*	=order per piece=
EX1419BL	Digital sail number, blue, 23.5 cm*	=order per piece=

Cut to make any number or letter.

\* Digitals are not allowed for use in official Optimist Class events.

EX1420BK...	Sail number, black, 23.5 cm	=order per piece=
EX1420BL...	Sail number, blue, 23.5 cm	=order per piece=
EX1420G...	Sail number, grey, 23.5 cm	=order per piece=
EX1420RD...	Sail number, red, 23.5 cm	=order per piece=

Specify number or letter when ordering

EX1430	Telltails
--------	-----------

A set of 16 telltales (8 red and 8 green) in resealable display packing with instruction manual. Supplied with adhesive discs to fix the telltales to the sail.

## HULL PROTECTORS

EX1065	Bow bumper
--------	------------

Foam tubing covered by heavy duty polyester cloth. This fender has a snug fit around the bow of the Optimist. Ideal for sailing schools. With grommet in the middle to pass the painter.

EX1066	Corner protectors
--------	-------------------

Heavy duty rubber corner protectors with self adhesive backing. These can be used on bow only or on all 4 corners. Special preshaped rubber profile. This is not a flat piece of thin rubber! Set of 2 pieces.

EX1118	Protection pack
--------	-----------------

A complete protection package for the Optimist. Contains self adhesive PTFE protection for maststep, outhaul, daggerboard, sprit and boat corners. Also contains 5 PTFE mast disks and rubber daggerboard slot inserts.

EX1117	Daggerboard protection kit
--------	----------------------------

A complete kit for protecting your valuable daggerboard. Contains 4 rubber inserts, glue, sandpaper and 4 self adhesive glide strips (300 x 18 x 1.0 mm). These strips can be stuck to the top and the bottom of the case and minimize play and friction between the daggerboard and its case.


EX11171	Glide tape roll 8 meter, 18mm wide
---------	------------------------------------

EX1116	Daggerboard rubber slot insert
--------	--------------------------------

EX1116-10	Daggerboard rubber slot insert. Set of 10
-----------	---

EX1067	PRO daggerboard slot inserts
--------	------------------------------

This package includes 2 PRO front daggerboard inserts, 2 PRO back daggerboard inserts, made of wear resistant TPU rubber. The PRO daggerboard inserts offer advantages over the EX1116; non-slip edges for improved grip within the daggerboard case, a pre-shaped contour to simplify positioning of the daggerboard and a sloping top design to prevent losing the inserts. Comes with glue and sandpaper.



## MAINSHEET BLOCKS

EX1295	57 mm Harken carbo ratchet block
EX1296	57 mm Harken carbo ratchet block with 2-way link
EX12961	2-way link, can be used on the EX1295 and the EX1299

Harken 57 mm ball bearing carbo ratchet blocks have machined aluminium sheaves with 8 facets to hold the line securely. Weighs only 85 grams.

EX1299	57 mm ball bearing ratchet block
EX1306	29 mm Harken single carbo block
EX1308	40 mm Harken single carbo block
EX1309	40 mm Harken carbo block with eyelet and spring
EX1314	Harken mainsheet extender. Not available in France.

40 mm Harken single block spliced with Dyneema® to a safety snap shackle.

EX13141	Spliced replacement line for EX1314 mainsheet extender
EX1319	40 / 29 mm Harken block combination

The perfect solution for creating a 4:1 mainsheet.

EX1321	40 / 29 mm Harken block combination with safety snap
EX1315	38 mm ball bearing block

40/29 mm block combination spliced with Dyneema to a safety snap shackle.

EX1316	38 mm ball bearing block with becket
EX1318	34 mm plain bearing block

Ball bearing blocks with stainless steel cheeks and 38 mm sheaves for lines up to 10 mm.

EX1320	34 mm plain bearing block with becket
EX1325	34 mm plain bearing fiddle block

Plain bearing blocks with stainless steel cheeks and 34 mm sheaves for lines up to 10 mm.

EX1326	34 / 20 mm plain bearing fiddle block
EX1327	34 / 20 mm plain bearing fiddle block with EX1372 snap

Plain bearing blocks with nylon cheeks and acetal sheaves for lines up to 8 mm. Lightweight, very strong and affordable. These blocks are designed for Optimists and other small dinghies and can be attached with ropes, webbing and shackles. The cheeks can be opened so the blocks can be attached direct on existing deck eyes.

EX1328	34 mm plain bearing block
--------	---------------------------



EX1295

EX1296



EX1306



EX1299



EX1309



EX1308



EX1315



EX1316



EX1318



EX1320



EX12961



EX1314



EX13141



EX1319



EX1321



EX1325



EX1326



EX1327



EX1328

## BLOCKS AND HALYARDS

EX1330	22 mm plain bearing halyard block as used on school masts
EX1331	22 mm plain bearing halyard block with becket
EX1332	19 mm plain bearing halyard block as used on silver masts
EX1334	16 mm Harken ball bearing micro block
EX1340	Plain bearing hook-in block as used on silver masts
EX1342	Plain bearing halyard as used on silver masts
EX1344	18 mm Harken ball bearing FLY block
EX1345	29 mm Harken ball bearing Ti-Lite block
EX1348	Halyard system with low friction ring

The combination of Harken hook-in block, Dyneema spliced halyard line and low friction ring creates the most advanced halyard system on the market.

EX1349	Halyard line with 25 mm Windesign low friction ring
EX1350	Halyard line with 29 mm Harken Ti-Lite block
EX1356	Halyard line with 18 mm Harken FLY block including control line

Replace halyard line with 18 mm Harken FLY block spliced on. Supplied including 4 mm high performance DB-Racing control line. The Harken 18 mm fly block is suitable for lines up to 5 mm.

EX1351H	Harken ball bearing hook-in block
---------	-----------------------------------

Used on Blackgold racing masts. Due to the curved saddle the block rests against the mast in a fixed position which prevents mast wear and creates a halyard system with less friction.

EX1352	Harken halyard system
--------	-----------------------

Complete with Harken hook-in block and 29 mm Ti-Lite block with 3 mm low stretch Dyneema® with spliced loops.

EX1353	Halyard line with spliced loops as used on EX1352
--------	---

## SHEETS, LINES, PAINTER AND MAINSHEET SYSTEMS

EX1370	Pro Line Optimist upgrade package
--------	-----------------------------------

High performance outhaul, vang and halyard system, consists of a 3.5 mm HT Polyester outhaul for excellent grip in the cleat, a spliced Technora®/Dyneema® halyard with low friction ring and a 3 mm Dyneema® vang with 5 mm Technora®/Dyneema® part.

EX1374	6 mm floating painter 8.1 meter with UV treatment
EX1374Y	6 mm floating painter 8.1 meter with UV treatment, fluor yellow
EX1377	8 mm mainsheet 6 meter 16 plait polypropylene
EX1378	7 mm DB-Racing mainsheet, 7.5 meter

Non-tangling double braided mainsheet with a light high stretch multi-filament polypropylene core and a braided polyester cover which leaves the outer to be the load bearer. Enough length for a 4:1 mainsheet.

EX1379	9 to 6.5 mm double tapered mainsheet
--------	--------------------------------------

7 meter Optimist tapered mainsheet, made of abrasion resistant PES material. Tapered from 9 to 6.5 mm. Thick and soft where it touches your hand. Thin and smooth elsewhere for less friction. Tapered on both ends. Long enough to create a 4:1 mainsheet with 2 boom blocks.

EX1379P	8 to 6 mm pro line double tapered mainsheet
---------	---

The combination of Black Technora, Dyneema, Polyester and Cordura creates the most advanced Optimist mainsheet available. The mainsheet has extremely good wear resistance characteristics. It has a total length of 7.6 meter and is double tapered from 9 to 6.5 mm.

EX1375	School Optimist mainsheet system
--------	----------------------------------

6 meter, 8 mm mainsheet, 1 shackle, 1 spring and 2 plain bearing blocks. (1302 / 1304 / 1327 / 1325 / 1377)

EX1376	Racing Optimist mainsheet system
--------	----------------------------------

6 meter, 8 mm mainsheet, 2 shackles, 1 snap, 1 spring, 2 ball bearing blocks and 1 ratchet block. (2 x 1302 / 1304 / 1372 / 1315 / 1316 / 1299 / 1377)

EX13761	Pro Racing Optimist mainsheet system
---------	--------------------------------------

Double tapered mainsheet, 1 shackle, 1 spring, 1 ball bearing block, mainsheet extender and 1 ratchet block. (1379 / 1296 / 1302 / 1304 / 1308 / 1314)



EX1330

EX1331

EX1332



EX1340

EX1342

EX1344



EX1345

EX1351H

EX1356



EX1349

EX1350

EX1353



EX1370

EX1348

EX1352



EX1374

EX1374Y


EX1377



EX1378

EX1379

EX1379P



EX1375

EX1376

EX13761



## TROLLEY / DOLLY

EX1076	Optiparts trolley / dolly for Optimist
EX1076B	Optiparts trolley / dolly with belt

Lightweight aluminium trolley with stainless steel axles and solid hull supports. Supplied with Bow wow which is made of recycled environmental friendly plastic, a unique system to lock the bow to the trolley with one quick and simple movement. Prevents the hull from sliding off on steep launch ramps. The trolley has been designed to be the most functional available. Spring locking quick release of all parts allow the trolley to be disassembled in a matter of seconds for storage and travel. The frame has welded joints and is anodized to prevent corrosion. The Optiparts trolley is supplied with 8 mm stainless steel push button wheel locks which are mounted inside the axle. The EX1076B has the same design but with belt. Your Optimist slides easy from the belt when launching.

EX10781	Smallstar puncture and temperature proof wheel, 26 cm
EX10782	Durastar-lite puncture and temperature proof wheel, 37 cm
EX10786	Optiflex-lite puncture proof wheel, 37 cm

All wheels are suitable for 25 (1") x 75 mm axles.

EX1077	Bow wow replacement kit, including PVC handles
--------	--

Bow wow made of recycled environmental friendly plastic.

EX10783	25 mm bushing for EX10786
EX10784	25 mm bushing for EX10782
EX10788	20 mm bushing for EX10786
EX10790	Stainless steel spring clip for securing wheels
EX10791	Galvanized spring clip for securing wheels
EX10792	Round button spring locking system
EX10793	Heel plate including rivets
EX10794	PVC handles
EX10796	Trolley padding kit

It protects the hull and makes the surface slippery for easy launching. The padding runs over the full width of the trolley, so the middle is protected when turning the hull upside down.

EX10797	Stainless steel 25 mm (1") axle with plastic lug
EX10798	Push button wheel lock stainless steel 8 mm


Enlarge 5 mm hole to 8 mm to use this lock in older trolleys

EX10799R	Rubber for side support
EX10799P	Protective tube and Tie-wrap

Pull and tighten the Tie-wrap through the hull support eye. This tube protects the hull against scratches.



EX1076



EX1076B



EX10781

EX10782

EX10786



EX10796



EX10790

EX10791

EX10792



EX10793

EX10797

EX10798



EX10783

EX10784

EX10788



EX10799R

EX10799P

EX1077



EX10794

## COVERS

### EX1080 Top cover tented with battens

This cover has two sailbattens integrated in the top panel. The top panel will be tented when the webbing straps connected to both ends of each batten are tensioned. Made of grey 600D PVC ripstop polyester. The padded panels on the front, back and sides fold around the corners and protect your hull.

### EX1081 Top cover Breathable

Durable cover made of Moistureguard 2000, a heavy duty 900D polyester with a polyurethane membrane which has excellent breathability and is waterresistant. Wide skirts around the edge of the hull for good protection. Fast and easy to install with two adjustable straps.

### EX1082 Top cover SD

Top cover made of strong and flexible solution dyed PVC coated polyester. 100% waterresistant but not breathable. Wide skirts around the edge of the hull for good protection. Fast and easy to install with two adjustable straps. Solution dyed polyester has much better color fastness and UV resistance than cheaper pigment dyed polyester.

### EX1091 Bottom cover Breathable

Durable UV resistant and breathable bottom cover made of Moistureguard 2000. Quick and easy to install with a 6 mm shockcord in the skirt and 2 adjustable straps. The cover has 3 wide strips of thick foam padding to protect the hull. Perfect for outside storage.

### EX1091S Bottom cover SD

Bottom cover made of 600D UV resistant solution dyed polyester. Quick and easy to install with an adjusting line in the skirt and 2 adjustable straps. Not breathable\*\*

### EX1097 Bottom cover fully padded SD

Protect your Optimist hull from being scratched with the UV resistant bottom cover. Made of 320 gsm 600D solution dyed polyester with EVA backing, high quality 190T innerlining and closed cell foam in between. Solution dyed polyester has much better color fastness and UV resistant characteristics than cheaper pigment dyed polyester. Not breathable\*\*

\* To avoid damage, we advise to remove top covers during transport

\*\* Non breathable covers promote the risk of hull blisters

Cover comparison	1080	1081	1082	1091	1091S	1097
UV resistant	✓	✓	✓	✓	✓	✓
Breathable		✓		✓		
Fully padded						✓
Padded strips				✓		
Shockcord		✓	✓	✓		
Tented	✓					
Pricing	€€	€€€	€	€€€	€	€€

## ROOF RACK

### EX1446 Padded roof rack cover

Heavy duty foam tubing covered with nylon cloth with velcro fastener. Protects your boat from being damaged when transported on a roof rack. Length 50 cm. Sold per piece.



EX1080



EX1081



EX1082



EX1091



EX1091S



EX1097



EX1446 \* Roof rack not included.

## STORAGE BAGS

EX1062 Sail bag

250 cm long sail bag of red nylon cloth to protect your sail when rolled around the boom.

EX1063 Rig travel bag

Heavy duty bag from 600D PVC coated polyester with two compartments for sail, mast and sprit. With zip closure, name tag pocket and detachable and adjustable carrying strap. Can be bundled with 2 straps to create a compact package. Built to fit a thin-walled PVC irrigation pipe, to prevent the sail from being crushed.

EX1119 Rudder and daggerboard bag

A 600D nylon bag with 3 compartments for rudder, daggerboard and accessories. The rudder and daggerboard compartments are padded for the best protection. The outside compartment provides enough space for accessories like sheet, mastlock, wind indicator and more. Supplied with shoulder strap and a sailnumber and name tag.




EX1062



EX1063



EX1119



### FULLY PADDED RIG TRAVEL BAG

Heavy-duty, fully padded rig bag made of UV-resistant, 320gsm, 600D solution-dyed polyester with EVA backing. Features three main compartments for mast, boom and sprit, along with a full-length zip closure, name tag, two additional luggage pockets and a detachable, adjustable carrying strap.

EX1068 Fully padded rig travel bag

## BOOKS AND VIDEO

EX1434 Drillbook: the DinghyCoach method (English written)

Over 75 specific exercises organized by category and difficulty to serve as a guideline and inspiration for coaches. Written by Pim Stumpel and Ben Koppelaar and with support of Huub Lambriex they have created tools to help coaches, program-managers and sailors set goals and structurally train to become better sailors.

EX1435 Access card: Dinghycoach Optimist technique video

DinghyCoach Pim Stumpel shares his knowledge in more than 60 minutes of videos where you learn everything about tacking, gybing, starting and all other sailing skills. This video giftcard contains a unique code, which can be activated online. DinghyCoach updates the online videos in case new techniques are discovered!

EX1438 The secrets of Opti coaching

Attila Hodacs reveals 20 years of his coaching experience in this 85 page book. Includes phases of development, how to lead sailors to international level racing, setting up training sessions, how to improve boathandling, strategy and how to minimize mistakes. A must have for every trainer, coach and interested parent.

EX1439 The Optimist Dinghy 1947-2007

A provisional history of the first sixty years of the International Optimist dinghy. Written by Robert Wilkes and Clifford McKay Jr.

## GIFT ITEMS AND ACCESSORIES

EX1471 Optimist scale model

Affordable Optimist model, scale 1:15. Complete with spars, sail, foils and 3 buoyancy bags. 16 cm long hull with wooden stand.

EX1472 Optimist mini sail

Optimist mini sail, scale 1:6, 47 cm high. Made of real sailcloth with window and class logo. Reinforced corners with eyelets.

EX1475 Opti key ring, blue

EX1476 Opti key ring, green

EX1477 Opti key ring, red

Flexible rubber key ring with Opti class logo. 8 cm high

EX1480 Mast rake measuring tape

It has never been so easy to measure your Optimist mast rake before your training or regatta. Place the special hook in the top-ailt of the mast and measure the distance to the edge of the deck.

## ROWING ACCESSORIES

EX1232 Aluminium rowing oar set

EX1233 Rowing lock set

EX1234 Rowing lock base set



EX1434



EX1435



EX1438



EX1439



EX1471



EX1472



EX1475 EX1476 EX1477



EX1480



EX1232



EX1233



EX1234



## MINIREELS

EX1365	Heavy duty Dyneema® scissors
Ideal to cut your lines for splicing.	
Cuts Dyneema, Vectran, Spectra and Kevlar.	
EX13661	4.0 mm stainless steel splicing needle
EX13662	5.5 mm stainless steel splicing needle
These Selma® splicing fids are perfect for splicing Dyneema®, Vectran® and other braided ropes. The inside diameters are 4.0 and 5.5 mm. The 4.0 mm version is ideal to splice 3 to 4 mm lines. The 5.5 mm is meant for 5 to 6 mm.	
EX13666	3 mm Vectran minireel 16 meter (52 ft)
EX13663	3 mm Dyneema® SK75 minireel 16 meter (52 ft), dark grey
EX13664	4 mm Dyneema® SK75 minireel 12 meter (39 ft), dark grey
EX13665	5 mm Dyneema® SK75 minireel 9 meter (29 ft), dark grey
EX1367	1.2 mm Vectran minireel 15 meter (49 ft). Used as lacing lines
EX1367Y	1.2 mm Vectran minireel 15 meter (49 ft), fluor yellow
EX13672	2.2 mm Vectran minireel 8 meter (26 ft). Used as corner ties
EX13672Y	2.2 mm Vectran minireel 8 meter (26 ft), fluor yellow
EX1368	3 mm Vectran minireel 16 meter (52 ft) Used as corner ties and bridle
EX1369	4 mm Vectran minireel 12 meter (39 ft) Used as sprit lift cleat line

## DB-RACING MAINSHEETS

EX2061Y	6 mm DB-Racing sheet line yellow 200 m reel (656 ft)
EX2060RD	7 mm DB-Racing sheet line red 200 m reel (656 ft)

Non-tangling double braided sheet lines with a light high stretch multi-filament polypropylene core and a braided polyester cover which leaves the outer to be the load bearer.

## DB-RACING CONTROL LINES

EX7544Y	4 mm DB-Racing control line 200 m reel. Yellow
EX7544RD	4 mm DB-Racing control line 200 m reel. Red
EX7544G	4 mm DB-Racing control line 200 m reel. Grey
EX7544BL	4 mm DB-Racing control line 200 m reel. Blue

High performance control lines with 12 plait Dyneema® SK78 core and Technora / polyester cover. A combination which ensures ultimate durability and grip.



EX1365



EX13661



EX13662



EX1366



EX13663



EX13664



EX13665



EX1367



EX1367Y



EX13672



EX13672Y



EX1368



EX1369



EX7544Y




EX7544RD



EX7544G



EX7544BL



EX2061Y



EX2060RD

 **DB-RACING**

- EX7523 3 mm shockcord, 100 m (328 ft)
- EX7524 4 mm shockcord, 100 m (328 ft)
- EX7525 5 mm shockcord, 100 m (328 ft)
- EX7526 6 mm shockcord, 100 m (328 ft)

**100 meter black shockcord on reel**  
**Available in 4 sizes from 3 mm up to 6 mm**  
**Pure latex core and polyester cover**



**400 meter black/yellow vectran on reel**  
**Available in 4 sizes from 1.2 mm up to 4 mm**  
**Vectran core and HT polyester cover**

- EX7501 1.2 mm vectran, 400 m (1312 ft)
- EX7502 2.2 mm vectran, 400 m (1312 ft)
- EX7503 3 mm vectran, 400 m (1312 ft)
- EX7504 4 mm vectran, 400 m (1312 ft)

- EX7511 1.5 mm trimline, 200 m (656 ft)
- EX7512 2 mm trimline, 200 m (656 ft)
- EX7513 3 mm trimline, 200 m (656 ft)

**200 meter black trimline on reel**  
**Available in 3 sizes from 1.5 mm up to 3 mm**  
**Polyester core and polyester cover**



**200 meter blue/yellow trimline on reel**  
**Available in 3 sizes from 4 mm up to 6 mm**  
**Polyester core and polyester cover**

- EX7514 4 mm trimline, 200 m (656 ft)
- EX7515 5 mm trimline, 200 m (656 ft)
- EX7516 6 mm trimline, 200 m (656 ft)

- EX7580 8 mm sheetline, 500m (1640 ft)

**500 meter blue/purple sheetline**  
**Available size: 8 mm**  
**HT braid polypropylene core**  
**UV threated polypropylene cover**



**500 meter painter line on reel**  
**Available size: 5.5 mm**  
**Double braid polypropylene core**  
**UV threated polypropylene cover**

- EX7555 5.5 mm line, 500m (1640 ft)

- EX7573 3 mm Dyneema®, 200m (656 ft)
- EX7574 4 mm Dyneema®, 200m (656 ft)
- EX7575 5 mm Dyneema®, 200m (656 ft)
- EX7576 6 mm Dyneema®, 200m (656 ft)

**200 meter Dyneema® SK75 on reel**  
**Available in 4 sizes from 3 mm up to 6 mm**  
**12 plait with Dyneema SK75**  
**With PU treatment**



**TILLERS FOR LASER®/ ILCA®**
**652512 124 cm carbon T700 PRO tiller extension**

The T700 PRO tiller extension is made of a 124 cm long, 22 mm diameter tube, crafted from carbon T700. Its stiff construction ensures maximum performance and durability, even in the most challenging weather conditions. Featuring a swirl peel-ply surface. This long-lasting grip provides superior control. Overall length: 128cm

**652900 Deluxe tiller**
**652910 Deluxe tiller with 100 cm tiller extension**
**652930 Standard tiller**

The well-known 32 mm aluminium tiller with Larry Marks end casting. The tiller is available in a deluxe black anodized version and a standard silver anodized version. The deluxe version comes with anti-chafe plate and aluminium Clamcleat.


**CARBON T800 PRO TILLER FOR LASER® OR ILCA®**

High-end extremely stiff racing tiller made of T800 carbon which fits perfect on your Laser® or ILCA®. Features different wall thicknesses on the inside of the tiller to achieve an ultimate stiffness/weight ratio. Used the best, stiffest and lightest carbon fibres available, consists a recess on top for the stainless steel wear plate and available with two different tiller end castings to achieve the lowest traveler settings for both. This combination of features creates an amazing light feeling when steering the boat. The design went through all different kind of tests and is believed to be the stiffest, strongest and most lightweight on the market right now! Glossy finish, fitted with aluminium Clamcleat, only 13,5 mm thick and 26,7 mm wide, a total weight of only 335 gram and supplied with releasable rubber joint to attach your existing tiller extension.

- Designed to be ultimate low under the traveler
- Made of high-end extreme stiff T800 carbon fibres
- Smart design to be a lightweight tiller
- End casting set is available for replacement in case of excessive wear

**652800 Carbon T800 PRO tiller for ILCA®**
**652801 Carbon T800 PRO tiller for Laser®**
**652805 End casting replacement set for ILCA®**
**652806 End casting replacement set for Laser®**

*Some products on this page are compatible with Laser® or ILCA® but are not original Laser® or ILCA® products. Laser® is a registered trademark owned by Velum Limited. ILCA® is a registered trademark owned by Laser Class Association Inc.*

**16MM STANDARD TILLER EXTENSIONS**

652406	60 cm standard tiller extension
652407	70 cm standard tiller extension
652408	80 cm standard tiller extension
652409	90 cm standard tiller extension
652410	100 cm standard tiller extension
652411	110 cm standard tiller extension
652412	120 cm standard tiller extension

The standard tiller extension is made of silver anodized 16 mm aluminium tube fitted with a fixed rubber joint and a golf grip handle.

**16MM DELUXE TILLER EXTENSIONS**

652306	60 cm deluxe tiller extension
652307	70 cm deluxe tiller extension
652308	80 cm deluxe tiller extension
652309	90 cm deluxe tiller extension
652310	100 cm deluxe tiller extension
652311	110 cm deluxe tiller extension
652312	120 cm deluxe tiller extension

The deluxe tiller extension is made of black anodized 16 mm aluminium tube fitted with a releasable rubber joint and EVA foam grip.

**20MM ALUMINIUM X-GRIPPED TILLER EXTENSIONS**

652006	60 cm aluminium X-gripped tiller extension
652007	70 cm aluminium X-gripped tiller extension
652008	80 cm aluminium X-gripped tiller extension
652009	90 cm aluminium X-gripped tiller extension
652010	100 cm aluminium X-gripped tiller extension
652011	110 cm aluminium X-gripped tiller extension
652012	120 cm aluminium X-gripped tiller extension

The aluminium X-gripped tiller extension is made of a black anodized 20 mm aluminium tube fitted with X-gripped heat shrinkable tubing. This tiller extension is supplied with a releasable rubber joint with rope core.

**16MM CARBON TILLER EXTENSIONS**

652206	60 cm carbon tiller extension
652207	70 cm carbon tiller extension
652208	80 cm carbon tiller extension
652209	90 cm carbon tiller extension

The carbon tiller extension is made of a 16 mm braided carbon tube fitted with a releasable rubber joint and EVA foam grip.

**20MM CARBON X-GRIPPED TILLER EXTENSIONS**

652109	90 cm carbon X-gripped tiller extension
652110	100 cm carbon X-gripped tiller extension
652111	110 cm carbon X-gripped tiller extension
652112	120 cm carbon X-gripped tiller extension
652112BKRD	120 cm carbon X-gripped tiller extension, Doppio
652119	190 cm carbon X-gripped tiller extension
652125	250 cm carbon X-gripped tiller extension

The carbon tiller extension is made of an extra stiff and light 20 mm carbon tube fitted with X-gripped heat shrinkable tubing. This tiller extension is supplied with a releasable rubber joint with rope core.

The 120 cm tiller extension is available in two different colors. One special color called "Doppio".

It is a black grip with a raised red X-pattern to create extra grip; double grip!



## TILLER ACCESSORIES

652960	16 mm golf club grip as used on standard tiller extensions
652961	16 mm eva foam grip as used on deluxe tiller extensions
652963	16 mm eva foam grip, multicolored
652964Y	20 mm hi-tech X-grip heat shrinkable 100 cm long, yellow
652964GR	20 mm hi-tech X-grip heat shrinkable 100 cm long, green
652964BL	20 mm hi-tech X-grip heat shrinkable 100 cm long, blue
652964RD	20 mm hi-tech X-grip heat shrinkable 100 cm long, red
652964BK	20 mm hi-tech X-grip heat shrinkable 100 cm long, black
652964BKRD	20 mm hi-tech X-grip heat shrinkable 100 cm long, Dopplo

X-gripped heat shrinkable tubing. Available in six different colors. One special color called "Dopplo". It is a black grip with raised red X-pattern to create extra grip; double grip! Slide the grip over the extension and shrink it with a heat gun.

652965	Clip for 16 mm extensions
652966	Rubber replacement end knob for 20 mm extensions
652998	Saddle for mounting all extensions on 25 to 32 mm tubes
652944	13 mm fixed joint without rope core, blue
652948	13 mm fixed rope core joint
652950	13 mm releasable rope core joint for 16 mm extensions
652955	13 mm releasable rope core joint for 20 mm extensions

The rope core will avoid complete failure should the rubber tear. Mounted with pin which is kept in place by a piece of heat shrinkable tubing. The distance between the mounting hole centers of all joints is 32 mm. The 652955 comes with the bigger pin and heat shrinkable tubing used for all 20 mm tiller extensions.

## FOILS FOR LASER® / ILCA®

EX2051	Gudgeon
EX2052	Heavy duty 10 mm pivot bolt*
EX2053	Rudderhead*

The rudderhead is silver anodized and can be used with the rudderblade and tillers below.

EX2054	Rudderblade*
EX2055	Daggerboard*

Wood core with fiberglass laminate and white gelcoat. These foils are not allowed for racing but are perfect for replacing the original foils which came with your boat.

EX20551	Daggerboard stopper set
EX2056	Rudder retaining clip
EX2057	Tiller retaining pin

\* not allowed for use in official Class Association events



EX2053



EX2054

EX2055



652960

652961

652963

652964Y

652964GR

652964BL

652964RD

652964BK

652964BKRD



652965



652966



652944



652948



652950



652955



652998



EX2056



EX2051



EX2052



EX2057



EX20551

**DB-RACING MAINSHEET FOR LASER® / ILCA®**

EX2058Y	6 mm sheet, length 13.5 m (44 ft). Yellow
EX2058RD	7 mm sheet, length 13.5 m (44 ft). Red

Non-tangling double braided mainsheets with a light high stretch multi-filament polypropylene core and a braided polyester cover which leaves the outer to be the load bearer.

**BAILER AND DRAIN PLUG FOR LASER® / ILCA®**

EX2070	Auto bailer*
EX2072	Bailer replacement kit*
Replacement kit consist: two O-rings, a chute and a cockpit plug.	
EX2074-10	Replacement O-rings. Set of 10*
EX2075	Stainless steel bailer springs*
EX2076	Cockpit plug*
EX2080	Drain plug assembly
EX2081	Drain plug only
EX2084	Brass cockpit drainbush set



EX2058Y



EX2058RD



EX2070

**PADDED HIKING STRAP FOR LASER® / ILCA®**

EX2000	Padded hiking strap
EX2000P	Padded hiking strap PRO
EX2000P2	Padded hiking strap PRO 2.0

8 cm wide padded hiking strap, 82 cm long with a loop on the aft and open on the front. Extra stiff with hard foam inside and PRO 2.0 grip underneath.

EX2002	Mounting plate
EX2003	Strap eye for hiking strap and mainsheet block
Stainless steel strap eye to mount your hiking strap in the aft end of the cockpit and to attach the mainsheet block to. Hole distance 30 mm.	
EX2004	Daggerboard friction plate
EX2165	Hiking strap adjuster cleat with DB-Racing line

Recent rule changes allows the use of this Clamcleat CL828-68AN to make a hiking strap adjustment system.

**GRAB RAIL FOR LASER® / ILCA®**

EX2166	Grab rail
EX2167	Grab rail screw plugs. Set of 10

This grey hard plastic grab rail should be mounted on both sides of the cockpit. Provides a hand hold while tacking or getting back in the boat after a capsized. Also works with other dinghies.

\* not allowed for use in official Class Association events



EX2074-10



EX2072



EX2076



EX2002




EX2003



EX2004



EX2000



EX2000P



EX2000P2



EX2084



EX2165



EX2002



EX2003



EX2004



EX2166



EX2167



## SPAR AND HULL FITTINGS FOR LASER® / ILCA®

**EX2160** PTFE mast disk. Set of 3  
Drop this disk into the mast hole. It absorbs grit and creates less friction between the bottom of the mast and the maststep.

<b>EX2120</b>	Bottom mast plug
<b>EX2122</b>	Bottom plug top mast
<b>EX2124</b>	Top plug upper mast and outer boom end plug
<b>EX2126</b>	Upper mast sleeve
<b>EX2128</b>	Boom inner end plug
<b>EX2130</b>	Gooseneck
<b>EX2132</b>	Vang mast attachment
<b>EX2134</b>	Vang boom attachment
<b>EX2135</b>	Hard anodized aluminium Clamcleat + becket, CL270AN
<b>EX2136</b>	Silver anodized aluminium Clamcleat, CL211MK1
<b>EX2137</b>	Hard anodized aluminium Clamcleat, CL211MK1AN
<b>EX2137B</b>	Hard anodized aluminium Clamcleat + becket, CL704AN
<b>EX2138</b>	Plastic eyelet for outhaul and traveler
<b>EX2138A</b>	Aluminium eyelet for outhaul and traveler
<b>EX2139</b>	Bow eye
<b>EX2140</b>	Eyelet for mainsheet blocks
<b>EX2141</b>	Nut for mounting traveler eyelet
<b>EX2142</b>	Vang block
<b>EX2144</b>	Vang block with jam
<b>EX2146</b>	Vang key straight
<b>EX2147</b>	Vang key curved
<b>EX2148</b>	Vang swivel
<b>EX2150</b>	Mainsheet block
<b>EX2152</b>	Mainsheet block with sister clips
<b>EX2154</b>	Mainsheet block with becket
<b>EX2156</b>	Traveler block with sister clips
<b>EX2157</b>	Rope linked traveler block*

Traveler blocks features a Dyneema® rope link instead of the standard sister clips. Super lightweight and exceptionally strong.

**EX2170** Traveler protection set port / starboard  
Prevents the traveler block from damaging the deck. These plates are easy to assemble around the traveler eyes and stay secured with the traveler line.

<b>EX1295</b>	57 mm Harken carbo ratchet block
<b>EX1299</b>	57 mm ball bearing ratchet block*
<b>EX2164</b>	Soft eyestraps kit

This kit contains webbing and a rivet with washer to mount this soft eyestraps. Class rules let you replace the stainless steel lacing eyestraps in the middle of your boom with this soft strap.

**EX2182** Ball bearing cam cleat, aluminium  
Hard anodized and PTFE coated ball bearing cleat. Aluminium cleats wear significantly less than carbon composite (plastic) cleats.  
Suitable for 5 - 12 mm lines. Hole distance 38 mm. 5 mm fixing screws.

\* not allowed for use in official Class Association events



EX2170





## UPGRADES FOR LASER® / ILCA®

EX2005	Clew strap
EX2007	Clew hook
EX2008	Clew hook with 20 mm ball bearing block
EX2010	Clew sleeve with 16 mm Harken airblock*

The stainless steel sleeve will be fixed to the boom and does not have to be detached after sailing. The quickest system for fixing the clew.

EX2176	Cleat plate for cunningham and outhaul*
EX2178	Block plate with 20 mm ball bearing blocks*
EX2179	Block plate only*
EX2180	20 mm ball bearing block*
EX2181	20 mm ball bearing fork block*
EX2183	Small composite cam cleat*
EX2184	Fairlead for small composite cam cleat*
EX2185	Block plate with 29 mm Harken blocks*
EX2186	29 mm Harken block with bolt*

Upgrade the builders supplied control line blocks to 29 mm Harken blocks. The 29 mm Harken blocks can be bolted on the existing block plate and provide less friction for easier control.

\* not allowed for use in official Class Association events

EX1344	18 mm Harken ball bearing Fly-Soft block
EX1345	29 mm Harken ball bearing TI-Lite block
EX2200	DB-Racing 6:1 cunningham 4.7, Radial / ILCA® 4 and 6
EX2201	Cunningham primary line for 4.7, Radial / ILCA® 4 and 6
EX2204	DB-Racing 8:1 cunningham Laser® STD MK2 / ILCA® 7
EX2205	Cunningham primary line for Laser® STD MK2 / ILCA® 7
EX2208	DB-Racing outhaul Laser® 4.7 / ILCA® 4
EX2209	Outhaul primary line for Laser® 4.7 / ILCA® 4
EX2212	DB-Racing outhaul for Radial / MK2 / ILCA® 6 and 7
EX2213	Outhaul primary line for Radial / MK2 / ILCA® 6 and 7

Spliced Dyneema® primary lines with Harken TI-Lite blocks. The complete sets come with a 4 mm DB-Racing secondary control line, consists of a Dyneema® core and Technora / polyester cover for ultimate durability and grip. Cut at ideal length for direct use and the ability to add a loop- or braided handle.

EX2216	DB-Racing vang lines
--------	----------------------

Spliced Dyneema® primary line with a loop on one end for easy attachment. Comes with a 4 mm DB-Racing secondary control line.

EX2220	DB-Racing control line pack
--------	-----------------------------

Complete pack of DB-Racing replacement control lines for outhaul, cunningham, vang and hiking strap adjuster line. Cut at ideal length for direct use and the ability to add a loop- or braided handle.

EX2225	Spliced mast loop
--------	-------------------

Harken 29 mm TI-Lite block spliced on a 4 mm Dyneema® line with loop. To use with the DB-Racing cunningham and outhaul. Attach below the vang assembly for cunningham use and attach above the gooseneck for outhaul use.



**EX2190 Power pack\***

Complete pack with all necessary cleats, blocks, lines and screws for cunningham and outhaul. Comes with 4 mm polyester secondary lines and Dyneema® primary lines.

**EX2195 Vang pack\***

Complete 15:1 vang pack with all necessary cleats, blocks and lines. Comes with a 4 mm polyester secondary line and a Dyneema® primary line.

**EX2196 Handle for vang, 30 cm****EX2197 Control line pack**

Complete pack of control lines for outhaul, cunningham and vang. Comes with 4 mm polyester secondary lines and Dyneema® primary lines. Outhaul shockcord included.

**EX2198 Traveler line**

6 mm Dyneema® traveler, pre-cut at 3.5 meter with a spliced loop on one end. This 12 plait Dyneema® SK75 ensures extremely good wear resistance characteristics, provides minimal water absorption, low stretch and ultimate tension on the traveler.

**EX2199 Daggerboard shockcord**

This daggerboard bungee consists of a 6 mm shockcord with plastic snap hook and a line to loop through the daggerboard.



EX2190



EX2195



EX2197



EX2196



EX2199



EX2198

**SAIL NUMBERS FOR LASER® / ILCA®**

EX2033BK....	Sail number, black, 30.5 cm	=order per piece=
EX2033RD....	Sail number, red, 30.5 cm	=order per piece=
EX2033BL....	Sail number, blue, 30.5 cm	=order per piece=

Specify the number, letter or nothing for digital, behind the part number. The 23.5 cm sailnumbers for Laser® 4.7 and ILCA® 4 can be found at page 15.

EX1421	Red rhombus, 24 cm
--------	--------------------



EX2033BK



EX2033RD



EX2033BL



EX2033BK..



EX2033RD..



EX2033BL..



EX1421

**TRAINING SAILS FOR LASER® / ILCA®**

EX2023	Compatible training sail for Laser® 4.7 / ILCA® 4*
EX2025	Compatible training sail for Laser® Radial / ILCA® 6*
EX2030	Compatible training sail for Laser® Standard / ILCA® 7*

Supplied with sailbag and telltales. Sail battens are sold separately.

**EX2031 Set of sail battens\***

Sail battens for Laser® 4.7, Radial and Standard MK1 / ILCA® 4 and 6. Size: 2x60 cm, 1x40 cm.

**EX2031MK2 Set of MK2 sail battens\***

Sail battens for Laser® MK2 sail / ILCA® 7. Size: 1x40 cm, 1x60 cm and 1x75 cm.


**EX2031MK2T Set tapered MK2 sail battens\***

Tapered sail battens for Laser® MK2 sail / ILCA® 7. Size: 1x40 cm, 1x60 cm and 1x75 cm.

**TRAINING SAILS FOR LASER® PICO****EX2035 Compatible training sail for Laser® Pico. (Main + Jib)\***

Sail for Laser® Pico. This sail consists of a mainsail and jib made out of 4 OZ blue Dacron sailcloth. The jib includes a 3 mm stainless steel forestay. Comes with a sailbag.

\* not allowed for use in official Class Association events



EX2023

EX2025

EX2030




EX2031



EX2031MK2



EX2031MK2T



EX2035

Some products on this page are compatible with Laser® or ILCA® but are not original Laser® or ILCA® products. Laser® is a registered trademark owned by Velum Limited. ILCA® is a registered trademark owned by Laser Class Association Inc.

**FOIL BAG FOR LASER® / ILCA®**

EX2050 Foil bag

Heavily padded foil bag. Separate compartments for rudder, daggerboard, tiller and a large compartment for accessories. With carrying handle and adjustable and detachable strap.



EX2050

**COVERS FOR LASER® / ILCA®**

EX2040 Top cover breathable

EX2041 Top cover SD

EX2044 Bottom cover SD

Our breathable cover is made of top quality, long-life Moistureguard 2000, a heavy duty 900D breathable polyester with a polyurethane membrane. Moistureguard reduces the risk of blisters. The solution dyed top cover is made of strong and flexible PVC coated polyester and the solution dyed bottom cover is made of 600D PU coated polyester. Solution dyed polyester has much better color fastness and UV resistance than cheaper pigment dyed polyester. Both top covers are slightly tented so that spars can be stored inside the boat and have wide skirts around the edge of the hull to provide good protection. The bottom cover webbing loops are installed to be able to pull the cover tight around the hull during transport.



EX2040



EX2041



EX2044

**BAGS FOR LASER® / ILCA®**

EX2032 Sail bag

280 cm long sail bag for rolled Laser® and ILCA® sails.

EX2038 Rig travel bag

Heavy duty bag from 600D polyester with 3 compartments for bottom mast, upper mast and boom. With zip closure, name tag pocket and adjustable and detachable carrying strap. Can be bundled with 2 straps to create a compact package. Sail can be stored rolled around the top mast.

EX2039 Top mast bag

Heavy duty mast bag from 600D polyester. With buckle closure, name tag and carrying handle. Ideal to protect your carbon top mast.



EX2032



EX2038

**RIG SUPPORT FOR LASER® / ILCA®**

EX2066 Rig support

Set of high grade foam rig supports. Suitable for one boom, two upper masts and two bottom masts which can be stored quick and easy without damaging the deck.



EX2039

**REPLACEMENT SPARS FOR LASER® / ILCA®**

EX2110 Bottom mast for 4.7 Laser® / ILCA® 4\*

EX2112 Bottom mast for Radial Laser® / ILCA® 6\*

EX2114 Bottom mast for Standard Laser® / ILCA® 7\*

EX2116 Upper mast\*

EX2118 Boom\*

All spars for the Laser® / ILCA® come with blocks and fittings.

\* not allowed for use in official Class Association events



EX2066



EX2110



EX2112



EX2114



EX2116



EX2118

Some products on this page are compatible with Laser® or ILCA® but are not original Laser® or ILCA® products. Laser® is a registered trademark owned by Velum Limited. ILCA® is a registered trademark owned by Laser Class Association Inc.

## WINDESIGN DINGHY TROLLEY COLLECTION

The lightweight dinghy trolleys from Windesign are designed to be the most functional available. With several angle connectors and multiple length sections we can create a trolley for almost every dinghy. Spring lock quick release system on all parts allows the trolleys to be disassembled in matter of seconds for storage and travel. The frame has welded joints and is anodized to prevent corrosion. These trolleys are supplied with 8 mm stainless steel push button wheel locks which are mounted inside the stainless steel axles. Supplied with the large Durastar-lite puncture proof wheels.

### EX2014 Trolley / dolly for Laser® Bug

The hull rests on 2 side supports and a special Bug front support which locks under the gunwale. This provides a stable support for the Bug. Side supports can be disassembled for easy transport.

### EX2016 Trolley / dolly for Laser® / ILCA®

The bow locks into a horseshoe shaped padded support and the hull rests on 2 side supports which lock under the gunwale. This provides a stable support for the Laser® / ILCA®. It comes with a firm rubber V-support (EX2017) which protects and stabilizes the hull when launching. With 2-piece middle section and spring lock quick release system which allows you to disassemble the trolley in matter of seconds for storage and travel.

### EX5010 Trolley / dolly for Laser® Pico

### EX5011 Trolley / dolly for RS Feva

### EX5013 Trolley / dolly for RS Aero

### EX5030 Trolley / dolly for Topper Topaz

### EX5031 Trolley / dolly for Fusion

### EX5033 Trolley / dolly for Cascais

### EX5036 Trolley / dolly for Europe

### EX5037 Trolley / dolly for Zoom

On these trolleys the hull rests stable on the solid rubber V-supports and heavy duty 90 mm wide polyester webbing belt.

### EX5040 Trolley / dolly for Topper

The bow locks into a angle shaped padded support and the hull rests between 2 side supports. This provides a stable support for the Topper hull.

### EX2015P Complete side support


Side support for the Laser® / ILCA® trolley / dolly, can be used to replace old design supports.

### EX2017 Trolley / dolly V-support

Solid rubber V-support which can be used on all trolleys. Makes it easy to launch the boat without damaging the hull. Supplied with mounting hardware. Can be used on existing trolleys.



EX2015P



EX2017



EX2014



EX2016



EX5010



EX5011



EX5013



EX5030



EX5031



EX5033



EX5036



EX5037



EX5040

**PROTECTION PACK FOR LASER® / ILCA®**

EX2001 Protection pack for Laser® / ILCA®

Complete protection pack for maststep, mast, tiller, outhaul and daggerboard. Contains two disks for the maststep, two strips for the maststep and mast deck, two strips for snug fit of the upper mast, one strip for the deck abrasion from the tiller, one strip to prevent the outhaul and five squares for the daggerboard.




EX2001

**HIKING BENCH FOR LASER® / ILCA®**

EX2018 Dinghy hiking bench

Fully detachable hiking bench. With adjustable hiking strap and two padded supports. Perfect for that extra training session. Convenient portable and quick to assemble due to the quick link detachable joint design. Super strong and weighs just 5.7 kg.



EX2018

**WIND INDICATORS**

EX1240 Standard wind indicator

EX1240-10 Standard wind indicator. Set of 10

EX1243 Wind indicator Windesign PRO, red

EX1243-10 Wind indicator Windesign PRO, red. Set of 10

EX1243V-10 Vane only, red. Set of 10

EX1243BL Wind indicator Windesign PRO, blue

EX1243BL-10 Wind indicator Windesign PRO, blue Set of 10

EX1243VBL-10 Vane only, blue. Set of 10

EX1245 Wind indicator clip

EX2021 Wind indicator MK2 Windesign PRO, red

EX2021BL Wind indicator MK2 Windesign PRO, blue

The Windesign wind indicator has a strong vane arm which is accurately balanced and performs amazing sensitive. The vane arm is attached to the needle with a positive locking system which prevents losing the vane arm.

EX2022 Vane float

The personalizable 80 mm long vane float prevents losing your wind indicator. The wind indicator will float when it comes in the water.

EX3044 Original 10" Hawk wind indicator

The original 27 cm (10") Hawk wind indicator. Lightweight with a balanced arm and the Hawk "V" jewel bearing surface. Weight: 25 grams



EX2021

EX1243



EX2021BL



EX1243BL

EX1240

EX3044



EX1245



EX1243V-10

EX1243VBL-10




EX2022

**LOW FRICTION RINGS**

EX3001	19 mm low friction ring
EX3002	25 mm low friction ring
EX3003	38 mm low friction ring

The lightweight alternative to a block, with no moving parts this is an extremely low maintenance item. Hard anodized with PTFE coating to provide the smoothest wear resistant surface possible. These low friction rings can be used in various applications: EX3001 as lead ring for control lines, EX3002 as Optimist halyard block and EX3003 as Optimist mainsheet block.

MODEL	D1	D2	Ø	T	WEIGHT
Ø19	19	7	4,5	8,5	3,5 g
Ø25	25	9	6	10	6 g
Ø38	38	15	9	13	15,5



EX3001



EX3002



EX3003

**WINDESIGN ACCESSORIES**

EX3005	6 mm stopper ball
--------	-------------------

Black stopper ball, suitable for lines up to 6 mm. Can be used in various applications. Outside diameter 22 mm.

EX3008	Clinometer
--------	------------

Affordable black plastic clinometer with self-adhesive backing for easy fitting. An accurate ball gauge shows the boat angle up to 45 degrees. Size: 90 x 40 mm.

EX1237	Hatch cover 100 mm
--------	--------------------

Hatch cover as used in dinghies. Inspection cover diameter: 100 mm. Cut out diameter: 108 mm. Color: black

EX1239	Hatch cover bag 100 mm
--------	------------------------

Blue 100 mm Windesign hatch cover bag with top gusset and string to provide splashproof storage for food, drink, tools and valuables.

EX1447S	Load straps 5 meter. Set of two
---------	---------------------------------

EX1447	Load straps 6 meter. Set of two
--------	---------------------------------

Set of two load straps with protection behind the buckle. Cam-action buckle and high quality 25 mm wide PP webbing. The 5 meter strap is ideal for securing Optimists and the 6 meter strap is suitable for most other dinghies.

EX4200	Buoyancy bag 110 x 25 cm
--------	--------------------------

Designed for Moth, but can be used for several other sailing classes or canoes. This bag is made of polyurethane coated nylon and comes with a normal valve. Size: 106 x 20 cm inflated, 110 x 25 cm deflated.

EX2655B	Buoyancy bag 130 x 35 cm
---------	--------------------------

Can be used for several sailing classes or canoes. This bag is made of polyurethane coated nylon and comes with a twist lock tube valve. Size: 125 x 25 cm inflated, 130 x 35 cm deflated.

EX4250	Padded hiking strap, 120 cm
--------	-----------------------------

Wide 10 cm padded hiking strap, 120 cm long with a loop on the aft and open on the front.

EX2600	Mast float
--------	------------

This mast float significantly reduces the risk of inversion. A very neat design of 2 inflatable tubes connected with a piece of sailcloth. The sailcloth can be folded around the luff rope and hoisted with the sail. Please note this product is meant for small dinghies only and does not guarantee 100% protection against inversion. Using it is for own responsibility. Length 80 cm. 8 liter.



EX3005



EX3008



EX1237




EX1239




EX1447S



EX1447



EX4200



EX2655B



EX4250



EX2600

## COVERS FOR 420

EX2046 420 top cover SD

A heavy duty, long lasting 1200D solution dyed PVC coated cover. 100% water resistant. 3 straps with adjustable buckles go underneath the hull and hold the cover tight. Solution dyed polyester has much better color fastness and UV resistance than cheaper pigment dyed polyester.

EX2048 420 bottom cover

A strong, flexible, 600D polyester PU coated cover.


EX3025 Padded 420 mast cover

EX3026 Padded 420 boom cover

EX3027 Padded 420 rudder cover

EX3028 Padded 420 daggerboard cover

Fully padded 420 covers. The mast cover is tapered towards the top with reinforced openings for hounds and spreaders. Velcro closure runs from hounds to heel for quick and easy packing. With red safety flag. 600D polyester PVC with 5 mm closed cell foam and tarpaulin lining. The boom cover has a 120 cm long zip for easy access.



EX2046



EX2048

EX3028



EX3025

EX3027



EX3028

## 420 TRAINING SAILS AND ACCESSORIES

EX3035 420 Jib

EX3036 420 Mainsail

EX3037 420 Spinnaker

EX3038 420 Mainsail + Jib (set)

Main and jib are made of 4.18 Challenge performance Dacron, including sail battens, class logo and telltales. 7 panel main and 6 panel jib. 7 panel spinnaker made of 0.75 oz Challenge cloth.

EX3040 Untapered 420 spinnaker pole with Seldén pole ends

EX3042 Tapered 420 spinnaker pole with Seldén pole ends

EX3043 25 mm spinnaker pole end

EX3045 Two part trapeze handle


This handle can be assembled around existing trapeze wires.

EX3055 Clamcleat CL253 Trapeze and Vang cleat for 4-8 mm lines



EX3036

EX3035



EX3037



EX3040

EX3042



EX3043

EX3055

EX3045

**COACH GEAR**

- EX2589 Water bottle, 750 ml  
 EX2665 Waterproof notebook, 10 x 15 cm, 100 squared pages

A must-have for all coaches and outdoor people. All-weather notebook with top spiral binding. Your text does not disappear, even when wet.

- EX2655 Training and regatta mark 180 x 18 cm  
 EX2655B Replacement bladder for training mark

This highly visible yellow training mark is designed to last long. The mark consists of 3 separate parts: a solid outer, an inflatable inner bladder and a ballast bag. The mark can be used anchored or as drifting mark. At the bottom you will find a big handle where you can easily fasten the mooring line.

- EX2660 Pyramid racing mark 140 x 140 x 120 cm

Constructed from high quality 0,9 mm thick durable PVC coated polyester tarpaulin. The bright color and the size of the mark will help sailors see the mark from a great distance. At the bottom you will find 4 stainless steel D-rings to attach the anchor line. Can be used without counter weight. The three sides without artwork can be used for advertising or sponsoring.

- EX2662 Cylinder racing mark 150 x 90 cm

A cylinder mark, constructed from high quality 0,9 mm thick durable PVC coated polyester tarpaulin. The bright color and the size of the mark will help sailors see the mark from a great distance. At the bottom you will find 3 stainless steel D-rings to attach the anchor line and counter weight. For easy repositioning of the mark, there is one handle at the top and two at the bottom.



EX2665



EX2589



EX2655



EX2662



EX2660



EX2655B



## MAGNETIC DINGHY / OPTIMIST SETS

EX2650	Magnetic protest kit Dinghy - full set
EX2651	Magnetic protest kit Dinghy - travel set
EX2652	Magnetic protest kit Optimist - travel set
EX2654	Magnetic whiteboard 25 x 35 cm

Ideal for accurately depicting races, enforcing and teaching the racing rules, as well as for protests. They help coaches to explain manoeuvres, trim, wind and tactics. For sailing clubs, committees, sailors and coaches. Available in two different shapes Dinghy and Optimist, the Dinghy boat length is 10 cm and the Optimist boats are just 5 cm long. All three packs come in a handy zip lock bag.

- The full Dinghy set contains 3 numbered yellow sailboats, 3 numbered red sailboats, 3 numbered green sailboats, 3 black coach boats, one wind arrow, one current arrow and four numbered racing marks.

- The travel Dinghy set contains 1 yellow sailboat, 1 red sailboat, 1 green sailboat, 1 black coach boat, one wind arrow, one current arrow and four numbered racing marks.

- The Optimist travel set contains 1 yellow Optimist, 1 red Optimist, 1 green Optimist, 1 black coach boat, one wind arrow, one current arrow and four numbered racing marks.

- The magnetic whiteboard is 25 x 35 cm and supplied with a shockcord hand strap to make your coaching session even easier. You can use your whiteboard marker (not included) for additional illustrations. Comes in a splashproof zip lock bag.



EX2651



EX2652



EX2650



EX2654

## PIN, RING, SHACKLE AND BLIND RIVET COLLECTION\*

PART NO.	Description / Length / Set of	Hole Ø	Max Grip
EX2680-10	(1) Monel rivet 10,3 mm, open. Set of 10	3,2 mm	7,1 mm
EX2682-10	(2) Monel rivet 9,5 mm, open. Set of 10	4 mm	5,8 mm
EX2684-10	(3) Monel rivet 10 mm, open. Set of 10	4,8 mm	5,8 mm
EX2686-10	(4) Monel rivet 16,5 mm, open. Set of 10	4,8 mm	12,5 mm
EX2688-10	(5) Monel rivet 12,5 mm, open. Set of 10	6,4 mm	7,6 mm
EX2690-10	(6) Monel rivet 13 mm, closed. Set of 10	3,2 mm	7,9 mm
EX2692-10	(7) Monel rivet 10,2 mm, closed. Set of 10	4 mm	4,8 mm

Monel blind rivets with mandrel made of galvanized steel. Monel is a nickel-copper alloy with high tensile strength, which is very resistant to atmospheric corrosion and sea water. We supply open and closed type Monel rivets. Closed rivets provide an airtight seal.

EX2712-10 Clevis pin 4 x 14 mm. Set of 10

EX2714-10 Clevis pin 4 x 19 mm. Set of 10

EX2722-10 Clevis pin 5 x 18 mm. Set of 10

EX2724-10 Clevis pin 5 x 21 mm. Set of 10

EX2730-10 Safety ring 1.0 x 11 mm. Set of 10

EX2732-10 Safety ring 1.2 x 15 mm. Set of 10

EX2734-10 Safety ring 1.5 x 19 mm. Set of 10

EX2736-10 Safety ring 2.0 x 25 mm. Set of 10

EX2744-10 Flat shackle 4 mm. Set of 10

EX2745-10 Flat shackle 5 mm. Set of 10

EX2754-10 D-shackle 4 mm. Set of 10

EX2755-10 D-shackle 5 mm. Set of 10

EX2780 Shackle key

Suitable to screw pin and slotted head shackles. 8, 10, 13 mm open end spanner and bottle opener. The shackle key is 10 cm long.

\* All pins, rings, shackles and rivets are supplied in a blister packaging.



EX2780

# CLIMING



## TECHNICAL SPECS

Our MIRA SERIES are designed with the highest quality fabrics to provide high end waterproofness, durability and flexibility. Comfortable dinghy sailing gear for junior and adult.

### NEO-SKIN

NEO-SKIN fabric is a 3-layer fabric consisting of a nylon water repellent outer, a lightweight stretch mid layer and a soft nylon inside layer.

### MESH##LINING

Comfortable lining developed to avoid sticky sweat feelings and to make changing clothes easier. Keeps you dry and ready to race!

### W-FLEX

W-Flex stands for our neoprene flexibility. The combination of high quality neoprene and the production technique provides the flexibility that every sailor is looking for.

### RIPSTOP

The unique grid pattern of thicker threads woven into the fabric helps prevent small tears or punctures from expanding, enhancing overall durability.

### TERRY

Quick-dry, soft and hairy fabric that offers comfort and warmth to your skin. This fabric has many protruding loops of thread which can absorb large amounts of water.

### AIRMESH

Say goodbye to sweat patches and stickiness with the AIRMESH moisture-wicking and breathable characteristics, ensuring full day comfort and freshness.

### POLAR

This soft fleece fabric offers the best comfort and warmth for your skin. It has excellent insulating and moisture-wicking characteristics, while also having good breathability.

### UV50+ SKIN

Protect yourself against the sun with our UV50+SKIN products. The UV50+ fabric provides maximum sun protection.

### 2 LASER

A two-layer fabric construction, crafted with a 75D twill polyester pongee outer layer and a PU coated inner layer. This unique combination ensures a waterproof rating (W/P) of 10,000 mm and a breathability rating (MVP) of 10,000 g/m<sup>2</sup>/24hr. Stay dry and comfortable no matter the circumstances.

### 3 LASER

A three-layer fabric construction, crafted with a 75D twill polyester pongee outer layer, a PTFE membrane and bonded with a 30D tricot inner layer. This innovative composition guarantees a waterproof rating (W/P) of 20,000 mm and a breathability rating (MVP) of 15,000 g/m<sup>2</sup>/24hr, assuring you stay dry and comfortable in all weather conditions.



Ratings indicating the level of waterproofness (W/P) and breathability (MVP).

### STRETCH-SKIN

This stretchy fabric contributes to comfort, performance and functionality for the perfect fit on the water.



## 3MM NEO-SKIN LONG JOHN / LONG JANE

UNISEX

EASY ENTRY  
VELCRO FASTENING

3MM NEO-SKIN FABRIC

W-FLEX TECHNOLOGY

FLATLOCK STITCHING

HORIZONTAL PEE ZIPPER

REINFORCED SEAT PANEL

REINFORCED KNEEPADS

STITCHED LEG SEALS

## FEATURES

- 3 mm Neo-Skin fabric
- Velcro shoulder strap
- Horizontal pee zipper (long john)
- W-Flex technology
- Flatlock stitching
- Reinforced in knees and seat
- High quality stitched leg seals

EX2524J.... Neo-Skin Long Jane Junior (JS,JM,JL,JXL)

EX2525J.... Neo-Skin Long John Junior (JS,JM,JL,JXL)

EX2525.... Neo-Skin Long John Adult (S,M,L,XL)

SIZE	JS	JM	JL	JXL	S	M	L	XL
HEIGHT CM	128-136	137-145	146-154	155-162	163-170	171-178	179-186	187-190
WAIST CM	57-60	61-64	65-68	69-73	74-79	80-86	87-94	95-102
CHEST CM	64-69	70-75	76-82	83-89	90-96	97-103	104-111	112-119



NEO-SKIN  
W-FLEX  
MIRA SERIES

**2.5MM NEO-SKIN TOP**

UNISEX


**POLAR**
**NEO-SKIN**
**WFLEX**

**FEATURES**

- 2.5 mm Neo-Skin fabric
- Polar inner lining
- Soft smooth neoprene waist
- Soft touch glideskin neck
- W-Flex technology
- Flatlock stitching
- High quality stitched wrist seals

EX2526J.... Neo-Skin Top Junior (JS,JM,JL,JXL)

EX2526.... Neo-Skin Top Adult (S,M,L,XL)

SIZE	JS	JM	JL	JXL	S	M	L	XL
HEIGHT CM	128-136	137-145	146-154	155-162	163-170	171-178	179-186	187-190
WAIST CM	57-60	61-64	65-68	69-73	74-79	80-86	87-94	95-102
CHEST CM	64-69	70-75	76-82	83-89	90-96	97-103	104-111	112-119

**RIPSTOP SIDE ZIP BUOYANCY AID**

UNISEX


**RIPSTOP**
**FEATURES**

- Ripstop outer fabric
- Side zip entry (YKK)
- Double sided velcro waist closure
- Padded shoulders with reflection
- Self-draining front pocket
- Non-slip grip on the inside
- Junior sizes includes crotch strap
- EN ISO 12402-5 50N approved

*Not USCG approved*

EX2521J.... Ripstop side zip buoyancy aid Junior (JS,JM,JL)


EX2521.... Ripstop side zip buoyancy aid Adult (S,M,L,XL)



	CM	KG	N
JS	75-80	30-40	35
JM	80-85	30-40	35
JL	85-90	35-45	35
S	90-95	40-60	40
M	95-105	60-70	45
L	105-115	70+	50
XL	115-125	70+	50

**AIRMESH LONG SLEEVE RASH TOP**

UNISEX

**AIR MESH****UV 50+ SKIN****FEATURES**

- UV50+ protection
- AIRMESH moisture-wicking armpit panel
- Prevents sweating
- Snug fit with flatlock stitching

EX2542J.... Airmesh Long sleeve Rash top Junior (JS,JM,JL,JXL)

EX2542.... Airmesh Long sleeve Rash top Adult (S,M,L,XL)

SIZE	JS	JM	JL	JXL	S	M	L	XL
HEIGHT CM	128-136	137-145	146-154	155-162	163-170	171-178	179-186	187-190
WAIST CM	57-60	61-64	65-68	69-73	74-79	80-86	87-94	95-102
CHEST CM	64-69	70-75	76-82	83-89	90-96	97-103	104-111	112-119

**SHORT SLEEVE RASH TOP**

UNISEX

**UV 50+ SKIN****FEATURES**

- UV50+ protection
- Flatlock stitching
- Snug fit

EX2535J.... Short sleeve Rash top (JS,JL)

EX2535.... Short sleeve Rash top (S,M,L)

SIZE	JS	JL	S	M	L
HEIGHT CM	128-145	146-162	163-171	172-180	181-190
WAIST CM	57-64	65-73	74-82	83-91	92-102
CHEST CM	64-75	76-89	90-98	99-107	108-119

**RASH TANKTOP**

UNISEX

**UV 50+ SKIN**

**SUITABLE FOR LOGO  
PRINTING ON FRONT & BACK**

**FEATURES**

- 4 colors
- UV50+ protection
- Non-slip grip on the inside

EX2532JO Junior Rash tanktop, orange

EX2532JB Junior Rash tanktop, blue

EX2532JR Junior Rash tanktop, red

EX2532JG Junior Rash tanktop, grey

EX2532O Adult Rash tanktop, orange

EX2532B Adult Rash tanktop, blue

EX2532R Adult Rash tanktop, red

EX2532G Adult Rash tanktop, grey



## NEO-RASH SHORTS

UNISEX



NEO-SKIN

W FLEX

UV50+ SKIN



### FEATURES

- Back panel: 1.5 mm Neo-skin fabric
- Front panel: Flexible lycra
- Reinforced in seat
- Adjustable waist band
- Japanese Velcro
- Flatlock stitching
- UV50+ protection

EX2565J.... Neo-rash shorts Junior (JS/JM, JL/JXL)

EX2565.... Neo-rash shorts Adult (S,M,L,XL)

SIZE	JS/JM	JL/JXL	S	M	L	XL
HEIGHT CM	128-145	146-162	163-170	171-178	179-186	187-190
WAIST CM	57-64	65-73	74-79	80-86	87-94	95-102

## NEO-RASH PANTS

UNISEX



NEO-SKIN

W FLEX

UV50+ SKIN



### FEATURES

- Reinforced in knees and seat
- Adjustable waist cord
- Wide elastic waist band
- Flatlock stitching
- UV50+ protection

EX2567J.... Neo-rash pants Junior (JS/JM, JL/JXL)

EX2567.... Neo-rash pants Adult (S,M,L,XL)

SIZE	JS/JM	JL/JXL	S	M	L	XL
HEIGHT CM	128-145	146-162	163-170	171-178	179-186	187-190
WAIST CM	57-64	65-73	74-79	80-86	87-94	95-102

## JUNIOR HIKING PANTS

UNISEX



## FEATURES

- Durable 1680D polyester
- Stiff polyester battens
- Velcro closures on legs and waist
- Elastic sections to increase comfort

EX2500.... Hiking pants (JS,JM,JL)

SIZE	JS	JM	JL
WAIST CM	53-67	60-67	69-86
WAIST INCH	20-26	24-30	27-34
YEARS	9-11	11-13	13-15

## COMFORT HIKING TRAPEZE HARNESS

UNISEX



## FEATURES

- Full back support with heavy duty rear
- Eight points spreader bar fixation
- Comfortable and adjustable leg straps
- Adjustable shoulder strap release system
- Neoprene covered stainless steel buckles
- PVC coated 600D polyester shell
- Stainless steel spreader bar with fixed hook

*Not suitable for official class events*

EX2560.... Trapeze harness (S,M,L,XXL)

SIZE	S	M	L	XXL
WAIST CM	71-76	76-81	81-86	92->
WAIST INCH	<30	30-32	32-34	36->



## 10K COMFORT SPRAYTOP

UNISEX

MIRA  
SERIES

MESH#L#LINING

2 LASER



## FEATURES

- Extreme waterproof W/P 10.000 mm
- Extreme breathable 10.000 g/m2/24hr
- Thin and lightweight fabric
- Mesh inner lining
- Adjustable neck fastening
- Stretch PU seal & adjustable cuffs
- Chest pocket
- Neoprene waist band with Velcro fastening

EX2445J.... 10K comfort spraytop Junior (JS,JM,JL,JXL)

EX2445.... 10K comfort spraytop Adult (S,M,L,XL)

SIZE	JS	JM	JL	JXL	S	M	L	XL
HEIGHT CM	128-136	137-145	146-154	155-162	163-170	171-178	179-186	187-190
WAIST CM	57-60	61-64	65-68	69-73	74-79	80-86	87-94	95-102
CHEST CM	64-69	70-75	76-82	83-89	90-96	97-103	104-111	112-119

## 10K HOODED JACKET

UNISEX

MIRA  
SERIES

POLAR



2 LASER



## FEATURES

- Extreme waterproof W/P 10.000 mm
- Extreme breathable 10.000 g/m2/24hr
- Thin and lightweight fabric
- Polar inner lining
- Stretch PU seal & adjustable cuffs
- Adjustable elastic cord at bottom hem
- Adjustable hood with reinforced peak
- Three outside pockets and one inside pocket
- Suitable for logo printing

EX2447J.... 10K hooded jacket Junior (JS,JM,JL,JXL)

EX2447.... 10K hooded jacket Adult (S,M,L,XL)

SIZE	JS	JM	JL	JXL	S	M	L	XL
HEIGHT CM	128-136	137-145	146-154	155-162	163-170	171-178	179-186	187-190
WAIST CM	57-60	61-64	65-68	69-73	74-79	80-86	87-94	95-102
CHEST CM	64-69	70-75	76-82	83-89	90-96	97-103	104-111	112-119

**3 LAYER PERFORMANCE TROUSERS**

UNISEX

**POLAR****3 LASER****FEATURES**


- Extreme waterproof W/P 20.000 mm
- Extreme breathable 15.000 g/m<sup>2</sup>/24hr
- Polar fleece pockets with YKK® water repellent zipper
- YKK® two-way front zipper
- Adjustable waist band
- Guard with drainage for added water protection
- 1000D Cordura® reinforced knees and seat
- Large Velcro® closable front leg pocket

EX2442.... 3 Layer Performance Trousers (XS,S,M,L,XL)

SIZE	XS	S	M	L	XL
HEIGHT CM	158-165	166-173	174-181	182-185	186-190
WAIST CM	70-74	75-80	81-87	88-94	95-102
CHEST CM	85-89	90-94	95-102	103-110	111-119



NEW

**SHORT FINGER GLOVES**

UNISEX

**UV50+ SKIN****STRETCH+SKIN****FEATURES**

- Amara grip panel
- UV50+ protection
- Comfortable knuckle panel
- Velcro secured wrist
- Comfortable stretch fabric
- Quick dry fabric



EX2550J.... Short Finger Gloves Junior (JS,JM,JL)

EX2550.... Short Finger Gloves Adult (S,M,L,XL)

SIZE	JS	JM	JL	S	M	L	XL
CIRCUMFERENCE HAND CM	14.5-15.5	15.5-16.5	16.5-17.5	17.5-19	19-21.5	21.5-23	23-24.5

**KEVLAR® KNEEPADS**

UNISEX


**NEO-SKIN**
**W FLEX**  
MIRA SERIES
**FEATURES**

- Kevlar® protection
- Elastic adjustable straps
- Double secured Velcro fastening
- Flexible neoprene padding
- Ergonomical designed
- Flatlock stitching

EX2545J      Kevlar® Kneepads JUNIOR

EX2545SM    Kevlar® Kneepads S/M

EX2545LXL   Kevlar® Kneepads L/XL



**QUICK DRY TERRY BOOT TOWEL**

120x20CM


**TERRY**
**FEATURES**

- Quickly absorbs water out of your boots
- Soft and Terry skin
- Hang loop
- 300gsm quick dry Terry microfiber

EX2490      Quick dry Terry boot towel - set of 2


**QUICK DRY TERRY PONCHO**

UNISEX


**TERRY**
**FEATURES**

- Side openings to get dressed easily
- Comfortable and warm Terry skin
- Kangaroo pocket
- Easily absorbs water
- Double layered hood
- Double layered arm openings
- Longer and double layered back edge
- 300gsm quick dry Terry microfiber

EX2480J      Terry poncho Junior

EX2480      Terry poncho Adult



SIZE	JUNIOR	ADULT
HEIGHT CM	128-162	163-190
WAIST CM	57-73	74-102

## 2 MM NEOPRENE SOCKS

UNISEX

NEO-SKIN



NEO-SKIN

## FEATURES

- 2 mm Neo-Skin fabric
- Flatlock stitching
- Pre-shaped
- Pull strap



SIZE	S	M	L	XL
UK	1-3	4-6	7-9	10-12
EUROPE	32-35	36-39	40-44	45-48
USA MENS	1.5-3.5	4.5-6.5	7.5-9.5	10.5-12.5

EX2470.... Neoprene socks (S,M,L,XL)

## 5 MM NEOPRENE BOOTS

UNISEX



NEO-SKIN

## FEATURES

- 5 mm neoprene
- Durable non-slip sole
- High quality YKK zipper
- Zip protection flap
- Lightweight



EX2450.... Neoprene sailing boots

SIZE	J1	J2	J3	J4	J5	XS	S	M	L	XL	2XL	3XL
UK	1	2	3	4	5	6	7	8	9	10	11	12
EUROPE	32-33	34	35	36	37-38	39	40-41	42	43-44	45	46	47-48
USA MENS	1.5	2.5	3.5	4.5	5.5	6.5	7.5	8.5	9.5	10.5	11.5	12.5

## 3 MM NEOPRENE SHOES

UNISEX



NEO-SKIN

## FEATURES

- 3 mm neoprene
- Flatlock stitching
- Double stabilized sole
- Adjustable pull string for snug fit



EX2460.... Neoprene dinghy shoes

SIZE	J1	J2	J3	J4	J5	XS	S	M	L	XL	2XL	3XL
UK	1	2	3	4	5	6	7	8	9	10	11	12
EUROPE	32-33	34	35	36	37-38	39	40-41	42	43-44	45	46	47-48
USA MENS	1.5	2.5	3.5	4.5	5.5	6.5	7.5	8.5	9.5	10.5	11.5	12.5

**SUN PROTECTION VISOR**

UNISEX

**FEATURES**

- Plastic reinforced pre-curved peak
- Mesh fabric with tricot backing
- Minimal water absorption
- Adjustable hook/loop closure
- Comfortable 3-layer cotton sweatband



EX2581B Sun protection visor, Black

EX2581C Sun protection visor, Cyan

**FLOATING KNITTED BEANIE**

UNISEX



JUNIOR

ADULT

**FEATURES**

- Floatable
- Comfortable and warm
- Adult size with roll-over



EX2582J Floating knitted Junior beanie

EX2582 Floating knitted Adult beanie

**WEBBING CAPLEASH**

LENGTH 30 CM

**FEATURES**

- Durable webbing
- Easy to use crocodile clips



EX2596

Webbing capleash

**SUN PROTECTION CAP**

UNISEX

**FEATURES**

- Plastic reinforced pre-curved peak
- Melange fabric
- Breathable mesh back panel
- Adjustable hook/loop closure



EX2580

Sun protection cap, Melange Grey

**2 MM NEOPRENE BEANIE**

UNISEX

**FEATURES**

- 2 mm Neo-Skin fabric
- Comfortable and warm
- Capleash attachment strap



EX2584

Neoprene beanie

**FLOATING SUNGLASSES STRAP**

LENGTH 43 CM

**FEATURES**

- Floatable
- Comfortable
- Easy to attach
- Overall length 86 cm



EX2597

Floating sunglasses strap



**TOOL / TOILET BAG**

25x16x16 CM

**FEATURES**

- Multi purpose tool/toilet bag
- Inside mesh pocket
- Easy to carry handle
- Compact

EX2571 Tool / toilet bag

**PX BRIEFCASE**

40x30x5 CM

**FEATURES**

- PX10 sailcloth
- Four zippered compartments
- Compartment for laptop or tablet
- Internal accessory pockets

EX2572 PX10 Briefcase

**DOCUMENT BAG**

32x25 CM

**FEATURES**

- Splashproof fabric
- Compartment for A4 documents
- Ideal for measurement forms

EX2575 Document bag

**PENCIL CASE**

24x12 CM

**FEATURES**

- Splashproof fabric
- Compartment for pencils

EX2576 Pencil case

**FLOATING KEY CHAIN**

85x40x15 MM

**FEATURES**

- Floatable
- Personalizable with name and sail no.
- 3-layers structure

EX2588 Floating key chain

**PHONE / CAMERA BAG**

21x11 CM

**FEATURES**

- Waterproof
- Zip lock / Velcro closure
- Inside: 9x17 cm

EX2578 Phone / camera bag

**ROLLER BAG**

110 L


**WATERRESISTANT 600D POLYESTER**
**STRONG & LIGHTWEIGHT FABRIC**
**ZIPPER CLOSABLE OUTSIDE POCKETS**

**NEW**
**7 CM WHEELS**
**FEATURES**

- Waterresistant 600D polyester
- Four zipper closable outside pockets
- Four inner pockets (2 mesh)
- Large main compartment
- Nametag pocket
- 7 cm wheels
- Two grab handles
- Extendable luggage handle

EX2623

Roller bag, 74x42x35 CM

**DRY BAG**

5 L, 15 L, 40 L


**FEATURES**

- Waterproof
- Roll top buckle closure
- Semi transparent ripstop
- Air release valve (only on the EX2610)
- Detachable strap (only on the EX2610)

EX2605 Dry bag, 5 L

EX2608 Dry bag, 15 L

EX2610 Dry bag, 40 L

**STORAGE TRAVEL BAG**

70 L


**FEATURES**

- Thick 200 gsm woven pp
- Splashproof lamination
- Heavy duty handles
- Big zipper on top and 1 side

EX2615

Storage travel bag, 66x35x30 CM



**DRY BACKPACK**

40L

WATERRESISTANT 600D POLYESTER

FRONT COMPARTMENT

EASY TO REACH TOP COMPARTMENT

PADDED  
SHOULDER STRAPSADJUSTABLE  
STERNUP STRAP

ADJUSTABLE HIP BELT

INTERNAL ACCESSORY POCKETS

1x PHONE POCKET, 3x PEN LOOPS, 2x ACCESSORY POCKETS

**FEATURES**

- Waterresistant 600D polyester
- Three compartments
- Waterresistant zippers
- Internal accessory pockets

EX2620

Dry Backpack, 50x33x25 CM

**DUFFEL TRAVEL BAG**

30 L

PADDED  
SHOULDER STRAPS

UPPER OPENING

SIDE OPENING

**FEATURES**

- Waterresistant 600D polyester
- Backpack and duffelbag in one
- Internal padded laptop compartment
- Internal tablet compartment
- 3 grab handles
- Cable pass through
- Hand luggage allowed
- 3 mesh pockets and 2 outside pockets
- Adjustable sternup strap

WATERRESISTANT 600D POLYESTER

CABLE PASS THROUGH

INTERNAL POCKETS:  
- PADDED LAPTOP COMPARTMENT  
- TABLET COMPARTMENT  
- SIDE COMPARTMENT

EX2626

Duffel travel bag, 45x30x30 CM

**ROLL TOP DUFFEL BAG**

45 L

WATERRESISTANT 600D POLYESTER

ROLL TOP CLOSURE WITH VELCRO SEAL

MESH SIDE POCKETS

**FEATURES**

- Waterresistant 600D polyester
- Zip front pocket
- Nametag pocket
- External mesh pockets
- Velcro seal
- 2 grab handles
- Waterproof

WATERPROOF

EX2628

Roll top duffel bag, 62x30x30 CM

Ask for genuine **OPTIPARTS**® and **WINDESIGN**® at:



# WINDESIGN

[WWW.OPTIPARTS.COM](http://WWW.OPTIPARTS.COM)

**WINDESIGN**  
**SAILING.COM**



Tel: +31 30 2414068  
Email: [mail@optiparts.com](mailto:mail@optiparts.com)